



April 9, 2021

Ms. Heidi Kawleski
Clerk
Town of Saratoga
11220 State Hwy 73 South
Wisconsin Rapids, WI 54494

Re: Pre-Construction Groundwater Monitoring
Wood County Solar Project, LLC

Dear Ms. Kawleski:

Wisconsin Power and Light (WPL) retained Burns & McDonnell Engineering Company, Inc. (Burns & McDonnell) to construct the Wood County Solar Project. This report represents the required pre-construction groundwater monitoring as defined in the Solar Generating Facility Development Agreement between the Town of Saratoga and Wood County Solar Project, LLC.

PROJECT BACKGROUND

In 2014 the Town of Saratoga installed a groundwater monitoring well network in the area of Golden Sands Dairy. The developer agreement for this project includes monitoring five permanent monitoring wells which had been installed near the Golden Sands Dairy to monitor groundwater quality. The five (5) selected wells are a subset of the Township well network, but do include wells upgradient, on-site, and downgradient from the planned solar power project.

- Three (3) on-site monitoring wells (MW-D2, MW-D3, MW-U4);
- One (1) up-gradient monitoring well (MW-U3); and,
- One (1) down-gradient monitoring well (MW-D4).

Water table elevations were provided by the Town of Saratoga for this monitoring well network as recorded in 2014 when the wells were installed. Water table elevations were expected in the range of 13 to 42 feet below ground surface. Based on discussion with Ted Powell, a hydrogeologist consultant for the Town of Saratoga, groundwater from the wells had been monitored for nitrates and nitrites but was otherwise expected to meet drinking water quality. The only well in exceedance of drinking water standards for Nitrate has been MW-U4. The water quality analysis for the solar project does not look for Nitrates, but instead focuses on contaminants that may result from potential industrial and vegetation management activities.

FIELD ACTIVITIES

Burns & McDonnell performed groundwater sampling activities on March 24, 2021. Six groundwater samples were collected, one from each well and along with one duplicate. Groundwater samples were collected using a peristaltic pump and low flow purging methods. Well



Ms. Heidi Kawleski

Town of Saratoga

April 9, 2021

Page 2

purging and sampling forms were prepared and are included in Attachment C. Where the depth to water was too large for the peristaltic pump, a bailer was used. Each sample was placed in an appropriate sample container, labeled with a unique identifier, packaged on ice, and shipped to Pace Analytical Services, Inc. (Pace) of Green Bay, Wisconsin. Samples collected by bailer were filtered at the laboratory prior to analysis. Pace Analytical analyzed each of the collected samples for the following parameters:

Method Description	Method
Polycyclic Aromatic Hydrocarbons (PAH)	8270SIM
Petroleum Volatile Organic Compounds (PVOCs)	8260
Herbicides	8151
RCRA Metals	6010B and 7471

RESULTS AND DISCUSSION

Water table elevations were similar to those measured in 2014 with the construction of the monitoring well network. The measured groundwater elevations were approximately two feet lower in 2021 than in 2014. Table 1 presents the 2021 water table elevation measurements and includes 2014 water table measurements for historic comparison. Based on measured water table elevations, the regional groundwater flow direction is to the west-southwest across the site (Figure 1). This observation agrees with 2014 reported observations at the time of the monitoring well network installation.

All contaminants analyzed by the laboratory were non-detect except for Barium. Barium levels measured in all five wells are below the WDNR NR 140 Preventative Action Limit for groundwater. Table 2 presents laboratory analytical results in standard WDNR format for drinking water contaminants of concern. Laboratory analytical reports are included in Attachment D.

In accordance with the developer agreement, Burns & McDonnell will conduct the next annual groundwater monitoring event in Spring 2022 after the snowpack has melted. A different style of pump will be utilized that is more suitable for the depth of water in these wells.



Ms. Heidi Kawleski
Town of Saratoga
April 9, 2021
Page 3

Burns & McDonnell trusts that this letter provides a useful summary of the activities completed at the Site. If you have any questions regarding this report, please do not hesitate to contact Hans Hinke at (608) 512-9617.

Respectfully,


Jeffery L. Pope, P.E.
Department Manager – Environmental Services

Attachments:

- A – Figure
- B – Tables
- C – Groundwater Sampling Forms
- D – Laboratory Analytical Reports




Attachment A - Figure



- Perimeter Fence
- Electric Transmission Line Route
- Water Table Elevation (ft msl)

962.91 ft - Measured ground water table elevation in feet above mean sea level (MSL)

Source: ESRI and Burns & McDonnell Engineering Company, Inc.



**BURNS
MCDONNELL**

Figure 1
Ground Water Table Elevation Map
Wood County Solar
Town of Saratoga
Wood County, Wisconsin

Issued: 4/6/2021



Attachment B - Tables

Table 2a - Metals
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date				
			MW-U3 3/24/2021	MW-U4 3/24/2021	MW-D2 3/24/2021	MW-D3 3/24/2021	MW-D4 3/24/2021
Metals (ug/L)							
Arsenic	10	1	<8.3 U*	<8.3 U*	<8.3 U*	<8.3 U*	<8.3 U*
Barium	2000	400	5.5	108	5.9	6.6	7.6
Cadmium	5	0.5	<1.3 U*	<1.3 U*	<1.3 U*	<1.3 U*	<1.3 U*
Chromium	100	10	<2.5 U	<2.5 U	<2.5 U	<2.5 U	<2.5 U
Lead	15	1.5	<5.9 U*	<5.9 U*	<5.9 U*	<5.9 U*	<5.9 U*
Selenium	50	10	<12.2 U*	<12.2 U*	<12.2 U*	<12.2 U*	<12.2 U*
Silver	50	10	<3.2 U	<3.2 U	<3.2 U	<3.2 U	<3.2 U
Mercury	2	0.2	<0.066 U	<0.066 U	<0.066 U	<0.066 U	<0.066 U

1) ug/L = micrograms per liter

2) U - Compound/analyte not detected. The associated numerical value is the detection limit.

3) *= limit of detection greater than NR140 Preventative Action Limit

4) **Bolded concentrations exceed the NR 140 Preventive Action Limit**

Table 2b VOCs
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date					
			MW-U3 3/24/2021	MW-U4 3/24/2021	MW-D2 3/24/2021	MW-D3 3/24/2021	MW-D4 3/24/2021	
VOCs (ug/L)								
1,1,1,2-Tetrachloroethane	70	7	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U
1,1,1-Trichloroethane	200	40	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U
1,1,2-Trichloroethane	5	0.5	<0.55 U	<0.55 U	<0.55 U	<0.55 U	<0.55 U	<0.55 U
1,1-Dichloroethane	850	85.0	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U
1,1-Dichloroethene	NA	NA	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U
1,1-Dichloropropene	NA	NA	<0.54 U	<0.54 U	<0.54 U	<0.54 U	<0.54 U	<0.54 U
1,2,3-Trichlorobenzene	NA	NA	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U
1,2,3-Trichloropropane	NA	NA	<0.59 U	<0.59 U	<0.59 U	<0.59 U	<0.59 U	<0.59 U
1,2,4-Trichlorobenzene	70	14	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U
1,2,4-Trimethylbenzene	480 ^c	96 ^c	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U
1,2-Dibromo-3-chloropropane	NA	NA	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
1,2-Dibromoethane (EDB)	NA	NA	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U
1,2-Dichlorobenzene	0.05	0.005	<0.71 U+	<0.71 U+	<0.71 U+	<0.71 U+	<0.71 U+	<0.71 U+
1,2-Dichloroethane	850	85	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U
1,2-Dichloropropane	5	0.5	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U	<0.28 U
1,3,5-Trimethylbenzene	NA	NA	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U
1,3-Dichlorobenzene	600	60	<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.63 U
1,3-Dichloropropane	NA	NA	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U
1,4-Dichlorobenzene	75	14	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U
2,2-Dichloropropane	NA	NA	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U
2-Chlorotoluene	NA	NA	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U
4-Chlorotoluene	NA	NA	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U
Benzene	5	0.5	<0.25 U	<0.25 U	<0.25 U	<0.25 U	<0.25 U	<0.25 U
Bromobenzene	NA	NA	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U	<0.24 U
Bromoform	NA	NA	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U
Bromochloromethane	NA	NA	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U
Bromodichloromethane	NA	NA	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U	<0.36 U
Bromoform	4.4	0.44	<4.0 U*	<4.0 U*	<4.0 U*	<4.0 U*	<4.0 U*	<4.0 U*
Bromomethane	10	1.0	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U
Carbon tetrachloride	5	0.5	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
Chlorobenzene	NA	NA	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U
Chloroethane	400	80.0	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U
Chloroform	6	0.6	<1.3 U*	<1.3 U*	<1.3 U*	<1.3 U*	<1.3 U*	<1.3 U*
Chloromethane	30	3	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U
Dibromochloromethane	60	6.0	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U
Dibromomethane	NA	NA	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U
Dichlorodifluoromethane	1,000	200.0	<0.50 U	<0.50 U	<0.50 U	<0.50 U	<0.50 U	<0.50 U
Diisopropyl ether	NA	NA	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
Ethylbenzene	700	140	<0.32 U	<0.32 U	<0.32 U	<0.32 U	<0.32 U	<0.32 U
Hexachloro-1,3-butadiene	NA	NA	<1.5 U	<1.5 U	<1.5 U	<1.5 U	<1.5 U	<1.5 U
Isopropylbenzene (Cumene)	NA	NA	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
Methyl-tert-butyl ether	60	12	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
Methylene Chloride	5	0.5	<0.58 U	<0.58 U	<0.58 U	<0.58 U	<0.58 U	<0.58 U
Naphthalene	100	10	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
Styrene	100	10.0	<3.0 U	<3.0 U	<3.0 U	<3.0 U	<3.0 U	<3.0 U

Table 2b VOCs
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date					
			MW-U3 3/24/2021	MW-U4 3/24/2021	MW-D2 3/24/2021	MW-D3 3/24/2021	MW-D4 3/24/2021	
VOCs (ug/L)								
Tetrachloroethene	5	0.5	<0.33 U	<0.33 U	<0.33 U	<0.33 U	<0.33 U	<0.33 U
Toluene	800	160	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U
Trichloroethene	NA	NA	<0.26 U	<0.26 U	<0.26 U	<0.26 U	<0.26 U	<0.26 U
Trichlorofluoromethane	NA	NA	<0.21 U	<0.21 U	<0.21 U	<0.21 U	<0.21 U	<0.21 U
Vinyl chloride	0.2	0.02	<0.17 U*	<0.17 U*	<0.17 U*	<0.17 U*	<0.17 U*	<0.17 U*
cis-1,2-Dichloroethene	NA	NA	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U	<0.27 U
cis-1,3-Dichloropropene	NA	NA	<3.6 U	<3.6 U	<3.6 U	<3.6 U	<3.6 U	<3.6 U
m&p-Xylene	NA	NA	<0.47 U	<0.47 U	<0.47 U	<0.47 U	<0.47 U	<0.47 U
n-Butylbenzene	NA	NA	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U
n-Propylbenzene	NA	NA	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U
o-Xylene	2,000	400.0	<0.26 U	<0.26 U	<0.26 U	<0.26 U	<0.26 U	<0.26 U
p-Isopropyltoluene	NA	NA	<0.80 U	<0.80 U	<0.80 U	<0.80 U	<0.80 U	<0.80 U
sec-Butylbenzene	NA	NA	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
tert-Butylbenzene	NA	NA	<0.30 U	<0.30 U	<0.30 U	<0.30 U	<0.30 U	<0.30 U
trans-1,2-Dichloroethene	NA	NA	<0.46 U	<0.46 U	<0.46 U	<0.46 U	<0.46 U	<0.46 U
trans-1,3-Dichloropropene	NA	NA	<4.4 U	<4.4 U	<4.4 U	<4.4 U	<4.4 U	<4.4 U

1) ug/L = micrograms per liter

2) U - Compound/analyte not detected. The associated numerical value is the detection limit.

3) * = limit of detection greater than NR140 Preventative Action Limit

4) **Bolded concentrations exceed the NR 140 Preventive Action Limit**

5) += limit of detection greater than NR140 Preventative Action Limit

6) ***Bolded and Italic concentrations exceed the NR 140 Enforcement Standard***

7) c = NR 140 standard for Trimethylbenzenes (1,2,4- and 1,3,5- combined)

Table 2c SVOCs
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date				
			MW-U3 3/24/2021	MW-U4 3/24/2021	MW-D2 3/24/2021	MW-D3 3/24/2021	MW-D4 3/24/2021
SVOCs (ug/L)							
1,2,4-Trichlorobenzene	70	14	<1.5 U	<1.5 U	<1.5 U	<1.6 U	<1.5 U
1,2-Dichlorobenzene	600	60	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<1.4 U
1,3-Dichlorobenzene	600	120	<1.5 U	<1.5 U	<1.5 U	<1.5 U	<1.5 U
1,4-Dichlorobenzene	75	15.0	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<1.4 U
2,2'-Oxybis(1-chloropropane)	NA	NA	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
2,4,5-Trichlorophenol	NA	NA	<0.61 U	<0.62 U	<0.61 U	<0.64 U	<0.62 U
2,4,6-Trichlorophenol	NA	NA	<0.76 U	<0.77 U	<0.76 U	<0.79 U	<0.77 U
2,4-Dichlorophenol	NA	NA	<0.85 U	<0.86 U	<0.85 U	<0.89 U	<0.86 U
2,4-Dimethylphenol	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
2,4-Dinitrophenol	NA	NA	<2.3 U	<2.4 U	<2.3 U	<2.4 U	<2.4 U
2,4-Dinitrotoluene	0.050	0.004	<1.0 U+	<1.0 U+	<1.0 U+	<1.0 U+	<1.0 U+
2,6-Dinitrotoluene	0.050	0.005	<0.74 U+	<0.74 U+	<0.74 U+	<0.74 U+	<0.74 U+
2-Chloronaphthalene	NA	NA	<0.79 U	<0.80 U	<0.79 U	<0.82 U	<0.80 U
2-Chlorophenol	NA	NA	<0.79 U	<0.80 U	<0.79 U	<0.82 U	<0.80 U
2-Methylnaphthalene	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.2 U	<1.1 U
2-Methylphenol(o-Cresol)	NA	NA	<0.89 U	<0.90 U	<0.89 U	<0.92 U	<0.90 U
2-Nitroaniline	NA	NA	<0.90 U	<0.91 U	<0.90 U	<0.94 U	<0.91 U
2-Nitrophenol	NA	NA	<0.79 U	<0.79 U	<0.79 U	<0.82 U	<0.79 U
3&4-Methylphenol(m&p Cresol)	NA	NA	<0.58 U	<0.59 U	<0.58 U	<0.61 U	<0.59 U
3,3'-Dichlorobenzidine	NA	NA	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U
3-Nitroaniline	NA	NA	<1.3 U	<1.3 U	<1.3 U	<1.4 U	<1.3 U
4,6-Dinitro-2-methylphenol	NA	NA	<3.0 U	<3.0 U	<3.0 U	<3.1 U	<3.0 U
4-Bromophenylphenyl ether	NA	NA	<0.91 U	<0.92 U	<0.91 U	<0.95 U	<0.92 U
4-Chloro-3-methylphenol	NA	NA	<0.65 U	<0.66 U	<0.65 U	<0.68 U	<0.66 U
4-Chloroaniline	NA	NA	<1.7 U	<1.7 U	<1.7 U	<1.8 U	<1.7 U
4-Chlorophenylphenyl ether	NA	NA	<0.79 U	<0.80 U	<0.79 U	<0.82 U	<0.80 U
4-Nitroaniline	NA	NA	<2.9 U	<2.9 U	<2.9 U	<3.0 U	<2.9 U
4-Nitrophenol	NA	NA	<2.9 U	<2.9 U	<2.9 U	<3.0 U	<2.9 U
Acenaphthene	NA	NA	<0.73 U	<0.73 U	<0.73 U	<0.76 U	<0.73 U
Acenaphthylene	NA	NA	<0.70 U	<0.70 U	<0.70 U	<0.72 U	<0.70 U
Anthracene	3,000	600	<0.77 U	<0.78 U	<0.77 U	<0.80 U	<0.78 U
Benzo(a)anthracene	NA	NA	<0.81 U	<0.81 U	<0.81 U	<0.84 U	<0.81 U
Benzo(a)pyrene	0.2	0.02	<1.2 U+	<1.2 U+	<1.2 U+	<1.2 U+	<1.2 U+
Benzo(b)fluoranthene	0.2	0.02	<0.99 U+	<1.0 U+	<0.99 U+	<1.0 U+	<1.0 U+
Benzo(g,h,i)perylene	NA	NA	<1.3 U	<1.3 U	<1.3 U	<1.4 U	<1.3 U
Benzo(k)fluoranthene	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
Butylbenzylphthalate	NA	NA	<1.2 U	<1.2 U	<1.2 U	<1.3 U	<1.2 U
Carbazole	NA	NA	<0.87 U	<0.88 U	<0.87 U	<0.90 U	<0.88 U
Chrysene	0.2	0.02	<1.2 U	<1.2 U	<1.2 U	<1.3 U	<1.2 U

Table 2c SVOCs
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date				
			MW-U3 3/24/2021	MW-U4 3/24/2021	MW-D2 3/24/2021	MW-D3 3/24/2021	MW-D4 3/24/2021
SVOCs (ug/L)							
Di-n-butylphthalate	NA	NA	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
Di-n-octylphthalate	NA	NA	<4.5 U	<4.6 U	<4.5 U	<4.7 U	<4.6 U
Dibenz(a,h)anthracene	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
Dibenzofuran	NA	NA	<0.81 U	<0.81 U	<0.81 U	<0.84 U	<0.81 U
Diethylphthalate	NA	NA	<0.74 U	<0.75 U	<0.74 U	<0.77 U	<0.75 U
Dimethylphthalate	NA	NA	<0.69 U	<0.69 U	<0.69 U	<0.71 U	<0.69 U
Fluoranthene	400	80	<0.94 U	<0.95 U	<0.94 U	<0.98 U	<0.95 U
Fluorene	400	80.0	<0.86 U	<0.87 U	<0.86 U	<0.90 U	<0.87 U
Hexachloro-1,3-butadiene	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
Hexachlorobenzene	1	0.1	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U
Hexachlorocyclopentadiene	NA	NA	<0.96 U	<0.97 U	<0.96 U	<1.0 U	<0.97 U
Hexachloroethane	NA	NA	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<1.4 U
Indeno(1,2,3-cd)pyrene	NA	NA	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
Isophorone	NA	NA	<0.74 U	<0.74 U	<0.74 U	<0.77 U	<0.74 U
N-Nitroso-di-n-propylamine	7	0.7	<1.1 U*	<1.1 U*	<1.1 U*	<1.1 U*	<1.1 U*
N-Nitrosodiphenylamine	NA	NA	<3.3 U	<3.3 U	<3.3 U	<3.4 U	<3.3 U
Naphthalene	100	10	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U
Nitrobenzene	NA	NA	<1.0 U	<1.0 U	<1.0 U	<1.1 U	<1.0 U
Pentachlorophenol	1	0.1	<4.3 U	<4.4 U	<4.3 U	<4.5 U	<4.4 U
Phenanthrene	NA	NA	<0.91 U	<0.92 U	<0.91 U	<0.94 U	<0.92 U
Phenol	2,000	400	<0.31 U	<0.31 U	<0.31 U	<0.32 U	<0.31 U
Pyrene	250	50.0	<1.1 U	<1.2 U	<1.1 U	<1.2 U	<1.2 U
bis(2-Chloroethoxy)methane	NA	NA	<1.2 U	<1.3 U	<1.2 U	<1.3 U	<1.3 U
bis(2-Chloroethyl) ether	NA	NA	<1.1 U	<1.1 U	<1.1 U	<1.2 U	<1.1 U
bis(2-Ethylhexyl)phthalate	NA	NA	<2.7 U	<2.8 U	<2.7 U	<2.9 U	<2.8 U

1) ug/L = micrograms per liter

2) U - Compound/analyte not detected. The associated numerical value is the detection limit.

3) *= limit of detection greater than NR140 Preventative Action Limit

4) Bolded concentrations exceed the NR 140 Preventive Action Limit

5) += limit of detection greater than NR140 Preventative Action Limit

6) Bolded and Italic concentrations exceed the NR 140 Enforcement Standard

Table 2d Herbicides
Groundwater Sample Analytical Results and Screening
Wood County Solar Project
Town of Saratoga, WI

Contaminant	NR140 Enforcement Standards (ug/L)	NR 140 Preventive Action Limit (ug/L)	Sample Identification and Date									
			MW-U3 3/24/2021		MW-U4 3/24/2021		MW-D2 3/24/2021		MW-D3 3/24/2021		MW-D4 3/24/2021	
Herbicides (ug/L)												
2,4-D	70	7	<0.547	U	<0.547	U	<0.547	U	<0.547	U	<0.547	U
Dalapon	NA	NA	<0.344	U	<0.344	U	<0.344	U	<0.344	U	<0.344	U
2,4-DB	NA	NA	<0.302	U	<0.302	U	<0.302	U	<0.302	U	<0.302	U
Dicamba	300	60	<0.245	U	<0.245	U	<0.245	U	<0.245	U	<0.245	U
Dichloroprop	NA	NA	<1.04	U	<1.04	U	<1.04	U	<1.04	U	<1.04	U
Dinoseb	7	1	<0.250	U	<0.250	U	<0.250	U	<0.250	U	<0.250	U
MCPA	NA	NA	<13.1	U	<13.1	U	<13.1	U	<13.1	U	<13.1	U
MCPP	NA	NA	<66.0	U	<66.0	U	<66.0	U	<66.0	U	<66.0	U
2,4,5-T	NA	NA	<0.258	U	<0.258	U	<0.258	U	<0.258	U	<0.258	U
2,4,5-TP (Silvex)	50	5	<0.335	U	<0.335	U	<0.335	U	<0.335	U	<0.335	U

1) ug/L = micrograms per liter

2) U - Compound/analyte not detected. The associated numerical value is the detection limit.



Attachment C –Groundwater Sampling Forms

Well Development Form

Page 1 of ____

* From TOC unless otherwise noted in Remarks



051801 Form WCD-KC-6-1

Well Development Form

Page 1 of _____

- From TOC unless otherwise noted in Remarks



051801 Form WCD-KC-6-1

Well Development Form

Page 1 of ____

* From TOC unless otherwise noted in Remarks



051801 Form WCD-KC-6-1

Well Development Form

Page 1 of _____

* From TOC unless otherwise noted in Remarks



051801 Form WCD-KC-6-1

Well Development Form

Page 1 o

- From TOC unless otherwise noted in Remarks

051801 Form WCD-KC-6-1





Attachment D – Laboratory Analytical Reports

April 05, 2021

Hans Hinke
Burns & McDonnell
25 W. Main St., 5th Floor
Madison, WI 53703

RE: Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Dear Hans Hinke:

Enclosed are the analytical results for sample(s) received by the laboratory on March 26, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet
- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 129461 WOOD COUNTY SOLAR
 Pace Project No.: 40224032

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
 Florida/NELAP Certification #: E87948
 Illinois Certification #: 200050
 Kentucky UST Certification #: 82
 Louisiana Certification #: 04168
 Minnesota Certification #: 055-999-334
 New York Certification #: 12064
 North Dakota Certification #: R-150

Virginia VELAP ID: 460263
 South Carolina Certification #: 83006001
 Texas Certification #: T104704529-14-1
 Wisconsin Certification #: 405132750
 Wisconsin DATCP Certification #: 105-444
 USDA Soil Permit #: P330-16-00157
 Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services National

12065 Lebanon Road, Mt. Juliet, TN 37122
 Alabama Certification #: 40660
 Alaska Certification 17-026
 Arizona Certification #: AZ0612
 Arkansas Certification #: 88-0469
 California Certification #: 2932
 Canada Certification #: 1461.01
 Colorado Certification #: TN00003
 Connecticut Certification #: PH-0197
 DOD Certification: #1461.01
 EPA# TN00003
 Florida Certification #: E87487
 Georgia DW Certification #: 923
 Georgia Certification: NELAP
 Idaho Certification #: TN00003
 Illinois Certification #: 200008
 Indiana Certification #: C-TN-01
 Iowa Certification #: 364
 Kansas Certification #: E-10277
 Kentucky UST Certification #: 16
 Kentucky Certification #: 90010
 Louisiana Certification #: AI30792
 Louisiana DW Certification #: LA180010
 Maine Certification #: TN0002
 Maryland Certification #: 324
 Massachusetts Certification #: M-TN003
 Michigan Certification #: 9958
 Minnesota Certification #: 047-999-395
 Mississippi Certification #: TN00003
 Missouri Certification #: 340
 Montana Certification #: CERT0086
 Nebraska Certification #: NE-OS-15-05

Nevada Certification #: TN-03-2002-34
 New Hampshire Certification #: 2975
 New Jersey Certification #: TN002
 New Mexico DW Certification
 New York Certification #: 11742
 North Carolina Aquatic Toxicity Certification #: 41
 North Carolina Drinking Water Certification #: 21704
 North Carolina Environmental Certificate #: 375
 North Dakota Certification #: R-140
 Ohio VAP Certification #: CL0069
 Oklahoma Certification #: 9915
 Oregon Certification #: TN200002
 Pennsylvania Certification #: 68-02979
 Rhode Island Certification #: LAO00356
 South Carolina Certification #: 84004
 South Dakota Certification
 Tennessee DW/Chem/Micro Certification #: 2006
 Texas Certification #: T 104704245-17-14
 Texas Mold Certification #: LAB0152
 USDA Soil Permit #: P330-15-00234
 Utah Certification #: TN00003
 Virginia Certification #: VT2006
 Vermont Dept. of Health: ID# VT-2006
 Virginia Certification #: 460132
 Washington Certification #: C847
 West Virginia Certification #: 233
 Wisconsin Certification #: 998093910
 Wyoming UST Certification #: via A2LA 2926.01
 A2LA-ISO 17025 Certification #: 1461.01
 A2LA-ISO 17025 Certification #: 1461.02
 AIHA-LAP/LLC EMLAP Certification #:100789

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 129461 WOOD COUNTY SOLAR
 Pace Project No.: 40224032

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40224032001	TRIP BLANK	Water	03/24/21 00:00	03/26/21 08:00
40224032002	MW-U3	Water	03/24/21 11:33	03/26/21 08:00
40224032003	MW-U4	Water	03/24/21 12:30	03/26/21 08:00
40224032004	MW-D2	Water	03/24/21 13:21	03/26/21 08:00
40224032005	MW-D3	Water	03/24/21 14:35	03/26/21 08:00
40224032006	MW-D4	Water	03/24/21 15:27	03/26/21 08:00
40224032007	DUP	Water	03/24/21 00:00	03/26/21 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40224032001	TRIP BLANK	EPA 8260	LAP	64	PASI-G
40224032002	MW-U3	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G
40224032003	MW-U4	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G
40224032004	MW-D2	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G
40224032005	MW-D3	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G
40224032006	MW-D4	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G
40224032007	DUP	EPA 8151A	AMM	11	PAN
		EPA 6010	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	70	PASI-G
		EPA 8260	LAP	64	PASI-G

PAN = Pace National - Mt. Juliet

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: TRIP BLANK	Lab ID: 40224032001	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 16:42	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/30/21 16:42	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 16:42	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 16:42	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 16:42	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 16:42	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 16:42	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 16:42	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 16:42	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 16:42	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 16:42	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 16:42	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 16:42	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 16:42	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 16:42	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 16:42	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 16:42	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 16:42	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 16:42	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 16:42	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 16:42	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 16:42	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 16:42	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 16:42	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 16:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 16:42	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 16:42	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 16:42	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 16:42	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 16:42	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 16:42	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 16:42	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 16:42	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 16:42	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 16:42	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 16:42	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 16:42	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 16:42	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 16:42	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 16:42	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 16:42	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 16:42	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 16:42	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 16:42	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 16:42	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: TRIP BLANK	Lab ID: 40224032001	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 16:42	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 16:42	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 16:42	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 16:42	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 16:42	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 16:42	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 16:42	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 16:42	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 16:42	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 16:42	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 16:42	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 16:42	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 16:42	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 16:42	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 16:42	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 16:42	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		03/30/21 16:42	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		03/30/21 16:42	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		03/30/21 16:42	2037-26-5	

Sample: MW-U3	Lab ID: 40224032002	Collected: 03/24/21 11:33	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 03:49	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 03:49	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 03:49	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 03:49	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 03:49	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 03:49	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 03:49	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 03:49	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 03:49	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 03:49	93-72-1	
Surrogates									
2,4-DCAA (S)	98.9	%	14.0-158		1	03/31/21 08:25	04/01/21 03:49	19719-28-9	
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic	<8.3	ug/L	25.0	8.3	1	03/30/21 05:48	03/30/21 19:05	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U3	Lab ID: 40224032002	Collected: 03/24/21 11:33	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Barium	5.5	ug/L	5.0	1.5	1	03/30/21 05:48	03/30/21 19:05	7440-39-3	
Cadmium	<1.3	ug/L	5.0	1.3	1	03/30/21 05:48	03/30/21 19:05	7440-43-9	
Chromium	<2.5	ug/L	10.0	2.5	1	03/30/21 05:48	03/30/21 19:05	7440-47-3	
Lead	<5.9	ug/L	20.0	5.9	1	03/30/21 05:48	03/30/21 19:05	7439-92-1	
Selenium	<12.2	ug/L	40.0	12.2	1	03/30/21 05:48	03/30/21 19:05	7782-49-2	
Silver	<3.2	ug/L	10.0	3.2	1	03/30/21 05:48	03/30/21 19:05	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury	<0.066	ug/L	0.20	0.066	1	03/30/21 09:35	03/31/21 07:59	7439-97-6	1q
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 11:34	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:34	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	4.9	1.5	1	03/29/21 12:41	03/31/21 11:34	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:34	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	108-60-1	
2,4,5-Trichlorophenol	<0.61	ug/L	4.8	0.61	1	03/29/21 12:41	03/31/21 11:34	95-95-4	
2,4,6-Trichlorophenol	<0.76	ug/L	4.8	0.76	1	03/29/21 12:41	03/31/21 11:34	88-06-2	
2,4-Dichlorophenol	<0.85	ug/L	4.8	0.85	1	03/29/21 12:41	03/31/21 11:34	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	105-67-9	
2,4-Dinitrophenol	<2.3	ug/L	9.5	2.3	1	03/29/21 12:41	03/31/21 11:34	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 11:34	121-14-2	
2,6-Dinitrotoluene	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 11:34	606-20-2	
2-Chloronaphthalene	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 11:34	91-58-7	
2-Chlorophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 11:34	95-57-8	
2-Methylnaphthalene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	91-57-6	
2-Methylphenol(o-Cresol)	<0.89	ug/L	4.8	0.89	1	03/29/21 12:41	03/31/21 11:34	95-48-7	
2-Nitroaniline	<0.90	ug/L	4.8	0.90	1	03/29/21 12:41	03/31/21 11:34	88-74-4	
2-Nitrophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 11:34	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.58	ug/L	4.8	0.58	1	03/29/21 12:41	03/31/21 11:34		
3,3'-Dichlorobenzidine	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:34	91-94-1	2q
3-Nitroaniline	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:34	99-09-2	
4,6-Dinitro-2-methylphenol	<3.0	ug/L	9.9	3.0	1	03/29/21 12:41	03/31/21 11:34	534-52-1	
4-Bromophenylphenyl ether	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 11:34	101-55-3	
4-Chloro-3-methylphenol	<0.65	ug/L	4.8	0.65	1	03/29/21 12:41	03/31/21 11:34	59-50-7	
4-Chloroaniline	<1.7	ug/L	5.7	1.7	1	03/29/21 12:41	03/31/21 11:34	106-47-8	2q
4-Chlorophenylphenyl ether	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 11:34	7005-72-3	
4-Nitroaniline	<2.9	ug/L	9.5	2.9	1	03/29/21 12:41	03/31/21 11:34	100-01-6	
4-Nitrophenol	<2.9	ug/L	9.7	2.9	1	03/29/21 12:41	03/31/21 11:34	100-02-7	
Acenaphthene	<0.73	ug/L	4.8	0.73	1	03/29/21 12:41	03/31/21 11:34	83-32-9	
Acenaphthylene	<0.70	ug/L	4.8	0.70	1	03/29/21 12:41	03/31/21 11:34	208-96-8	
Anthracene	<0.77	ug/L	4.8	0.77	1	03/29/21 12:41	03/31/21 11:34	120-12-7	
Benzo(a)anthracene	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 11:34	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U3	Lab ID: 40224032002	Collected: 03/24/21 11:33	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Benzo(a)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	50-32-8	
Benzo(b)fluoranthene	<0.99	ug/L	4.8	0.99	1	03/29/21 12:41	03/31/21 11:34	205-99-2	
Benzo(g,h,i)perylene	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:34	191-24-2	
Benzo(k)fluoranthene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	207-08-9	
Butylbenzylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	85-68-7	
Carbazole	<0.87	ug/L	4.8	0.87	1	03/29/21 12:41	03/31/21 11:34	86-74-8	
Chrysene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	84-74-2	
Di-n-octylphthalate	<4.5	ug/L	15.1	4.5	1	03/29/21 12:41	03/31/21 11:34	117-84-0	
Dibenz(a,h)anthracene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	53-70-3	
Dibenzofuran	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 11:34	132-64-9	
Diethylphthalate	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 11:34	84-66-2	
Dimethylphthalate	<0.69	ug/L	4.8	0.69	1	03/29/21 12:41	03/31/21 11:34	131-11-3	
Fluoranthene	<0.94	ug/L	4.8	0.94	1	03/29/21 12:41	03/31/21 11:34	206-44-0	
Fluorene	<0.86	ug/L	4.8	0.86	1	03/29/21 12:41	03/31/21 11:34	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.2	1.1	1	03/29/21 12:41	03/31/21 11:34	87-68-3	
Hexachlorobenzene	<1.6	ug/L	4.8	1.6	1	03/29/21 12:41	03/31/21 11:34	118-74-1	
Hexachlorocyclopentadiene	<0.96	ug/L	4.8	0.96	1	03/29/21 12:41	03/31/21 11:34	77-47-4	
Hexachloroethane	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:34	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	193-39-5	
Isophorone	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 11:34	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	621-64-7	
N-Nitrosodiphenylamine	<3.3	ug/L	11.0	3.3	1	03/29/21 12:41	03/31/21 11:34	86-30-6	
Naphthalene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	91-20-3	
Nitrobenzene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 11:34	98-95-3	
Pentachlorophenol	<4.3	ug/L	14.5	4.3	1	03/29/21 12:41	03/31/21 11:34	87-86-5	L1
Phenanthrene	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 11:34	85-01-8	
Phenol	<0.31	ug/L	4.8	0.31	1	03/29/21 12:41	03/31/21 11:34	108-95-2	
Pyrene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	129-00-0	
bis(2-Chloroethoxy)methane	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:34	111-91-1	
bis(2-Chloroethyl) ether	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:34	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.7	ug/L	9.1	2.7	1	03/29/21 12:41	03/31/21 11:34	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	70	%	41-118			1	03/29/21 12:41	03/31/21 11:34	4165-60-0
2-Fluorobiphenyl (S)	65	%	54-107			1	03/29/21 12:41	03/31/21 11:34	321-60-8
Terphenyl-d14 (S)	91	%	51-129			1	03/29/21 12:41	03/31/21 11:34	1718-51-0
Phenol-d6 (S)	27	%	12-120			1	03/29/21 12:41	03/31/21 11:34	13127-88-3
2-Fluorophenol (S)	40	%	23-69			1	03/29/21 12:41	03/31/21 11:34	367-12-4
2,4,6-Tribromophenol (S)	91	%	62-172			1	03/29/21 12:41	03/31/21 11:34	118-79-6
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1				03/30/21 17:04
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1				71-55-6
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1				03/30/21 17:04
									630-20-6
									03/30/21 17:04
									79-34-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-U3	Lab ID: 40224032002	Collected: 03/24/21 11:33	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 17:04	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 17:04	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 17:04	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 17:04	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 17:04	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 17:04	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 17:04	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 17:04	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 17:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 17:04	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:04	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 17:04	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 17:04	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 17:04	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 17:04	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 17:04	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 17:04	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 17:04	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 17:04	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 17:04	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 17:04	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 17:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 17:04	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 17:04	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 17:04	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 17:04	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 17:04	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:04	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 17:04	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 17:04	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 17:04	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 17:04	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 17:04	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 17:04	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 17:04	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 17:04	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 17:04	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 17:04	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 17:04	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 17:04	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 17:04	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 17:04	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 17:04	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 17:04	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 17:04	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U3	Lab ID: 40224032002	Collected: 03/24/21 11:33	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 17:04	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 17:04	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 17:04	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 17:04	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 17:04	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:04	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 17:04	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 17:04	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 17:04	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 17:04	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 17:04	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 17:04	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 17:04	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		03/30/21 17:04	460-00-4	
Dibromofluoromethane (S)	116	%	70-130		1		03/30/21 17:04	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		03/30/21 17:04	2037-26-5	
<hr/>									
Sample: MW-U4	Lab ID: 40224032003	Collected: 03/24/21 12:30	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 04:03	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 04:03	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 04:03	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 04:03	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 04:03	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 04:03	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 04:03	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 04:03	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 04:03	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 04:03	93-72-1	
Surrogates									
2,4-DCAA (S)	108	%	14.0-158		1	03/31/21 08:25	04/01/21 04:03	19719-28-9	
<hr/>									
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic	<8.3	ug/L	25.0	8.3	1	03/30/21 05:48	03/30/21 19:15	7440-38-2	
Barium	108	ug/L	5.0	1.5	1	03/30/21 05:48	03/30/21 19:15	7440-39-3	
Cadmium	<1.3	ug/L	5.0	1.3	1	03/30/21 05:48	03/30/21 19:15	7440-43-9	
Chromium	<2.5	ug/L	10.0	2.5	1	03/30/21 05:48	03/30/21 19:15	7440-47-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U4	Lab ID: 40224032003	Collected: 03/24/21 12:30	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Lead	<5.9	ug/L	20.0	5.9	1	03/30/21 05:48	03/30/21 19:15	7439-92-1	
Selenium	<12.2	ug/L	40.0	12.2	1	03/30/21 05:48	03/30/21 19:15	7782-49-2	
Silver	<3.2	ug/L	10.0	3.2	1	03/30/21 05:48	03/30/21 19:15	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury	<0.066	ug/L	0.20	0.066	1	03/30/21 09:35	03/31/21 08:11	7439-97-6	1q
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 11:55	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:55	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 11:55	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:55	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	108-60-1	
2,4,5-Trichlorophenol	<0.62	ug/L	4.8	0.62	1	03/29/21 12:41	03/31/21 11:55	95-95-4	
2,4,6-Trichlorophenol	<0.77	ug/L	4.8	0.77	1	03/29/21 12:41	03/31/21 11:55	88-06-2	
2,4-Dichlorophenol	<0.86	ug/L	4.8	0.86	1	03/29/21 12:41	03/31/21 11:55	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	105-67-9	
2,4-Dinitrophenol	<2.4	ug/L	9.6	2.4	1	03/29/21 12:41	03/31/21 11:55	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 11:55	121-14-2	
2,6-Dinitrotoluene	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 11:55	606-20-2	
2-Chloronaphthalene	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 11:55	91-58-7	
2-Chlorophenol	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 11:55	95-57-8	
2-Methylnaphthalene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	91-57-6	
2-Methylphenol(o-Cresol)	<0.90	ug/L	4.8	0.90	1	03/29/21 12:41	03/31/21 11:55	95-48-7	
2-Nitroaniline	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 11:55	88-74-4	
2-Nitrophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 11:55	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.59	ug/L	4.8	0.59	1	03/29/21 12:41	03/31/21 11:55		
3,3'-Dichlorobenzidine	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:55	91-94-1	2q
3-Nitroaniline	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:55	99-09-2	
4,6-Dinitro-2-methylphenol	<3.0	ug/L	10.0	3.0	1	03/29/21 12:41	03/31/21 11:55	534-52-1	
4-Bromophenylphenyl ether	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 11:55	101-55-3	
4-Chloro-3-methylphenol	<0.66	ug/L	4.8	0.66	1	03/29/21 12:41	03/31/21 11:55	59-50-7	
4-Chloroaniline	<1.7	ug/L	5.7	1.7	1	03/29/21 12:41	03/31/21 11:55	106-47-8	2q
4-Chlorophenylphenyl ether	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 11:55	7005-72-3	
4-Nitroaniline	<2.9	ug/L	9.6	2.9	1	03/29/21 12:41	03/31/21 11:55	100-01-6	
4-Nitrophenol	<2.9	ug/L	9.8	2.9	1	03/29/21 12:41	03/31/21 11:55	100-02-7	
Acenaphthene	<0.73	ug/L	4.8	0.73	1	03/29/21 12:41	03/31/21 11:55	83-32-9	
Acenaphthylene	<0.70	ug/L	4.8	0.70	1	03/29/21 12:41	03/31/21 11:55	208-96-8	
Anthracene	<0.78	ug/L	4.8	0.78	1	03/29/21 12:41	03/31/21 11:55	120-12-7	
Benzo(a)anthracene	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 11:55	56-55-3	
Benzo(a)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	50-32-8	
Benzo(b)fluoranthene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 11:55	205-99-2	
Benzo(g,h,i)perylene	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:55	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U4	Lab ID: 40224032003	Collected: 03/24/21 12:30	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Benzo(k)fluoranthene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	207-08-9	
Butylbenzylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	85-68-7	
Carbazole	<0.88	ug/L	4.8	0.88	1	03/29/21 12:41	03/31/21 11:55	86-74-8	
Chrysene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	84-74-2	
Di-n-octylphthalate	<4.6	ug/L	15.3	4.6	1	03/29/21 12:41	03/31/21 11:55	117-84-0	
Dibenz(a,h)anthracene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	53-70-3	
Dibenzofuran	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 11:55	132-64-9	
Diethylphthalate	<0.75	ug/L	4.8	0.75	1	03/29/21 12:41	03/31/21 11:55	84-66-2	
Dimethylphthalate	<0.69	ug/L	4.8	0.69	1	03/29/21 12:41	03/31/21 11:55	131-11-3	
Fluoranthene	<0.95	ug/L	4.8	0.95	1	03/29/21 12:41	03/31/21 11:55	206-44-0	
Fluorene	<0.87	ug/L	4.8	0.87	1	03/29/21 12:41	03/31/21 11:55	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.3	1.1	1	03/29/21 12:41	03/31/21 11:55	87-68-3	
Hexachlorobenzene	<1.6	ug/L	4.8	1.6	1	03/29/21 12:41	03/31/21 11:55	118-74-1	
Hexachlorocyclopentadiene	<0.97	ug/L	4.8	0.97	1	03/29/21 12:41	03/31/21 11:55	77-47-4	
Hexachloroethane	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 11:55	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	193-39-5	
Isophorone	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 11:55	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	621-64-7	
N-Nitrosodiphenylamine	<3.3	ug/L	11.1	3.3	1	03/29/21 12:41	03/31/21 11:55	86-30-6	
Naphthalene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	91-20-3	
Nitrobenzene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 11:55	98-95-3	
Pentachlorophenol	<4.4	ug/L	14.6	4.4	1	03/29/21 12:41	03/31/21 11:55	87-86-5	L1
Phenanthere	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 11:55	85-01-8	
Phenol	<0.31	ug/L	4.8	0.31	1	03/29/21 12:41	03/31/21 11:55	108-95-2	
Pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 11:55	129-00-0	
bis(2-Chloroethoxy)methane	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 11:55	111-91-1	
bis(2-Chloroethyl) ether	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 11:55	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.8	ug/L	9.2	2.8	1	03/29/21 12:41	03/31/21 11:55	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	85	%	41-118		1	03/29/21 12:41	03/31/21 11:55	4165-60-0	
2-Fluorobiphenyl (S)	76	%	54-107		1	03/29/21 12:41	03/31/21 11:55	321-60-8	
Terphenyl-d14 (S)	91	%	51-129		1	03/29/21 12:41	03/31/21 11:55	1718-51-0	
Phenol-d6 (S)	33	%	12-120		1	03/29/21 12:41	03/31/21 11:55	13127-88-3	
2-Fluorophenol (S)	50	%	23-69		1	03/29/21 12:41	03/31/21 11:55	367-12-4	
2,4,6-Tribromophenol (S)	91	%	62-172		1	03/29/21 12:41	03/31/21 11:55	118-79-6	
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1				03/30/21 14:20 630-20-6
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1				03/30/21 14:20 71-55-6
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1				03/30/21 14:20 79-34-5
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1				03/30/21 14:20 79-00-5
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1				03/30/21 14:20 75-34-3
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1				03/30/21 14:20 75-35-4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-U4 **Lab ID: 40224032003** Collected: 03/24/21 12:30 Received: 03/26/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 14:20	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 14:20	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 14:20	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 14:20	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 14:20	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 14:20	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 14:20	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:20	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 14:20	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 14:20	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 14:20	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 14:20	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 14:20	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 14:20	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 14:20	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 14:20	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 14:20	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 14:20	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 14:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 14:20	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 14:20	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 14:20	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 14:20	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 14:20	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:20	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 14:20	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 14:20	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 14:20	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 14:20	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 14:20	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 14:20	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 14:20	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 14:20	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 14:20	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 14:20	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 14:20	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 14:20	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 14:20	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 14:20	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 14:20	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 14:20	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 14:20	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 14:20	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 14:20	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 14:20	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-U4	Lab ID: 40224032003	Collected: 03/24/21 12:30	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 14:20	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 14:20	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:20	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 14:20	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 14:20	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 14:20	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 14:20	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 14:20	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 14:20	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 14:20	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		03/30/21 14:20	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		03/30/21 14:20	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		03/30/21 14:20	2037-26-5	
<hr/>									
Sample: MW-D2	Lab ID: 40224032004	Collected: 03/24/21 13:21	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 04:18	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 04:18	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 04:18	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 04:18	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 04:18	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 04:18	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 04:18	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 04:18	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 04:18	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 04:18	93-72-1	
Surrogates									
2,4-DCAA (S)	104	%	14.0-158		1	03/31/21 08:25	04/01/21 04:18	19719-28-9	
<hr/>									
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic, Dissolved	<8.3	ug/L	25.0	8.3	1	03/31/21 07:14	03/31/21 17:24	7440-38-2	
Barium, Dissolved	5.9	ug/L	5.0	1.5	1	03/31/21 07:14	03/31/21 17:24	7440-39-3	
Cadmium, Dissolved	<1.3	ug/L	5.0	1.3	1	03/31/21 07:14	03/31/21 17:24	7440-43-9	
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1	03/31/21 07:14	03/31/21 17:24	7440-47-3	
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	03/31/21 07:14	03/31/21 17:24	7439-92-1	
Selenium, Dissolved	<12.2	ug/L	40.0	12.2	1	03/31/21 07:14	03/31/21 17:24	7782-49-2	
Silver, Dissolved	<3.2	ug/L	10.0	3.2	1	03/31/21 07:14	03/31/21 17:24	7440-22-4	P4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D2	Lab ID: 40224032004	Collected: 03/24/21 13:21	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury, Dissolved	<0.066	ug/L	0.20	0.066	1	03/31/21 10:25	04/01/21 09:06	7439-97-6	P4
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 12:16	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:16	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	4.9	1.5	1	03/29/21 12:41	03/31/21 12:16	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:16	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	108-60-1	
2,4,5-Trichlorophenol	<0.61	ug/L	4.8	0.61	1	03/29/21 12:41	03/31/21 12:16	95-95-4	
2,4,6-Trichlorophenol	<0.76	ug/L	4.8	0.76	1	03/29/21 12:41	03/31/21 12:16	88-06-2	
2,4-Dichlorophenol	<0.85	ug/L	4.8	0.85	1	03/29/21 12:41	03/31/21 12:16	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	105-67-9	
2,4-Dinitrophenol	<2.3	ug/L	9.5	2.3	1	03/29/21 12:41	03/31/21 12:16	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 12:16	121-14-2	
2,6-Dinitrotoluene	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 12:16	606-20-2	
2-Chloronaphthalene	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 12:16	91-58-7	
2-Chlorophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 12:16	95-57-8	
2-Methylnaphthalene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	91-57-6	
2-Methylphenol(o-Cresol)	<0.89	ug/L	4.8	0.89	1	03/29/21 12:41	03/31/21 12:16	95-48-7	
2-Nitroaniline	<0.90	ug/L	4.8	0.90	1	03/29/21 12:41	03/31/21 12:16	88-74-4	
2-Nitrophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 12:16	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.58	ug/L	4.8	0.58	1	03/29/21 12:41	03/31/21 12:16		
3,3'-Dichlorobenzidine	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:16	91-94-1	2q
3-Nitroaniline	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:16	99-09-2	
4,6-Dinitro-2-methylphenol	<3.0	ug/L	9.9	3.0	1	03/29/21 12:41	03/31/21 12:16	534-52-1	
4-Bromophenylphenyl ether	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 12:16	101-55-3	
4-Chloro-3-methylphenol	<0.65	ug/L	4.8	0.65	1	03/29/21 12:41	03/31/21 12:16	59-50-7	
4-Chloroaniline	<1.7	ug/L	5.7	1.7	1	03/29/21 12:41	03/31/21 12:16	106-47-8	2q
4-Chlorophenylphenyl ether	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 12:16	7005-72-3	
4-Nitroaniline	<2.9	ug/L	9.5	2.9	1	03/29/21 12:41	03/31/21 12:16	100-01-6	
4-Nitrophenol	<2.9	ug/L	9.7	2.9	1	03/29/21 12:41	03/31/21 12:16	100-02-7	
Acenaphthene	<0.73	ug/L	4.8	0.73	1	03/29/21 12:41	03/31/21 12:16	83-32-9	
Acenaphthylene	<0.70	ug/L	4.8	0.70	1	03/29/21 12:41	03/31/21 12:16	208-96-8	
Anthracene	<0.77	ug/L	4.8	0.77	1	03/29/21 12:41	03/31/21 12:16	120-12-7	
Benzo(a)anthracene	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 12:16	56-55-3	
Benzo(a)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	50-32-8	
Benzo(b)fluoranthene	<0.99	ug/L	4.8	0.99	1	03/29/21 12:41	03/31/21 12:16	205-99-2	
Benzo(g,h,i)perylene	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:16	191-24-2	
Benzo(k)fluoranthene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	207-08-9	
Butylbenzylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	85-68-7	
Carbazole	<0.87	ug/L	4.8	0.87	1	03/29/21 12:41	03/31/21 12:16	86-74-8	
Chrysene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	84-74-2	
Di-n-octylphthalate	<4.5	ug/L	15.1	4.5	1	03/29/21 12:41	03/31/21 12:16	117-84-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D2	Lab ID: 40224032004	Collected: 03/24/21 13:21	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Dibenz(a,h)anthracene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	53-70-3	
Dibenzofuran	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 12:16	132-64-9	
Diethylphthalate	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 12:16	84-66-2	
Dimethylphthalate	<0.69	ug/L	4.8	0.69	1	03/29/21 12:41	03/31/21 12:16	131-11-3	
Fluoranthene	<0.94	ug/L	4.8	0.94	1	03/29/21 12:41	03/31/21 12:16	206-44-0	
Fluorene	<0.86	ug/L	4.8	0.86	1	03/29/21 12:41	03/31/21 12:16	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.2	1.1	1	03/29/21 12:41	03/31/21 12:16	87-68-3	
Hexachlorobenzene	<1.6	ug/L	4.8	1.6	1	03/29/21 12:41	03/31/21 12:16	118-74-1	
Hexachlorocyclopentadiene	<0.96	ug/L	4.8	0.96	1	03/29/21 12:41	03/31/21 12:16	77-47-4	
Hexachloroethane	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:16	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	193-39-5	
Isophorone	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 12:16	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	621-64-7	
N-Nitrosodiphenylamine	<3.3	ug/L	11.0	3.3	1	03/29/21 12:41	03/31/21 12:16	86-30-6	
Naphthalene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	91-20-3	
Nitrobenzene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 12:16	98-95-3	
Pentachlorophenol	<4.3	ug/L	14.5	4.3	1	03/29/21 12:41	03/31/21 12:16	87-86-5	L1
Phenanthrene	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 12:16	85-01-8	
Phenol	<0.31	ug/L	4.8	0.31	1	03/29/21 12:41	03/31/21 12:16	108-95-2	
Pyrene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	129-00-0	
bis(2-Chloroethoxy)methane	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:16	111-91-1	
bis(2-Chloroethyl) ether	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:16	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.7	ug/L	9.1	2.7	1	03/29/21 12:41	03/31/21 12:16	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	88	%	41-118		1	03/29/21 12:41	03/31/21 12:16	4165-60-0	
2-Fluorobiphenyl (S)	81	%	54-107		1	03/29/21 12:41	03/31/21 12:16	321-60-8	
Terphenyl-d14 (S)	95	%	51-129		1	03/29/21 12:41	03/31/21 12:16	1718-51-0	
Phenol-d6 (S)	33	%	12-120		1	03/29/21 12:41	03/31/21 12:16	13127-88-3	
2-Fluorophenol (S)	55	%	23-69		1	03/29/21 12:41	03/31/21 12:16	367-12-4	
2,4,6-Tribromophenol (S)	96	%	62-172		1	03/29/21 12:41	03/31/21 12:16	118-79-6	
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 14:42	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/30/21 14:42	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 14:42	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 14:42	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 14:42	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 14:42	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 14:42	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 14:42	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 14:42	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 14:42	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 14:42	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 14:42	96-12-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-D2 **Lab ID: 40224032004** Collected: 03/24/21 13:21 Received: 03/26/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 14:42	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:42	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 14:42	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 14:42	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 14:42	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 14:42	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 14:42	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 14:42	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 14:42	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 14:42	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 14:42	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 14:42	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 14:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 14:42	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 14:42	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 14:42	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 14:42	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 14:42	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:42	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 14:42	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 14:42	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 14:42	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 14:42	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 14:42	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 14:42	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 14:42	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 14:42	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 14:42	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 14:42	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 14:42	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 14:42	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 14:42	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 14:42	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 14:42	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 14:42	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 14:42	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 14:42	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 14:42	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 14:42	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 14:42	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 14:42	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 14:42	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 14:42	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 14:42	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 14:42	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-D2	Lab ID: 40224032004	Collected: 03/24/21 13:21	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 14:42	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 14:42	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 14:42	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 14:42	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		03/30/21 14:42	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		03/30/21 14:42	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		03/30/21 14:42	2037-26-5	
Sample: MW-D3	Lab ID: 40224032005	Collected: 03/24/21 14:35	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 04:32	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 04:32	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 04:32	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 04:32	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 04:32	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 04:32	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 04:32	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 04:32	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 04:32	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 04:32	93-72-1	
Surrogates									
2,4-DCAA (S)	108	%	14.0-158		1	03/31/21 08:25	04/01/21 04:32	19719-28-9	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic, Dissolved	<8.3	ug/L	25.0	8.3	1	03/31/21 07:14	03/31/21 17:33	7440-38-2	
Barium, Dissolved	6.6	ug/L	5.0	1.5	1	03/31/21 07:14	03/31/21 17:33	7440-39-3	
Cadmium, Dissolved	<1.3	ug/L	5.0	1.3	1	03/31/21 07:14	03/31/21 17:33	7440-43-9	
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1	03/31/21 07:14	03/31/21 17:33	7440-47-3	
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	03/31/21 07:14	03/31/21 17:33	7439-92-1	
Selenium, Dissolved	<12.2	ug/L	40.0	12.2	1	03/31/21 07:14	03/31/21 17:33	7782-49-2	
Silver, Dissolved	<3.2	ug/L	10.0	3.2	1	03/31/21 07:14	03/31/21 17:33	7440-22-4	P4
7470 Mercury, Dissolved	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury, Dissolved	<0.066	ug/L	0.20	0.066	1	03/31/21 10:25	04/01/21 09:09	7439-97-6	P4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D3	Lab ID: 40224032005	Collected: 03/24/21 14:35	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510								
	Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.6	ug/L	5.2	1.6	1	03/29/21 12:41	03/31/21 12:37	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	5.0	1.4	1	03/29/21 12:41	03/31/21 12:37	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	5.1	1.5	1	03/29/21 12:41	03/31/21 12:37	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/L	5.0	1.4	1	03/29/21 12:41	03/31/21 12:37	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	108-60-1	
2,4,5-Trichlorophenol	<0.64	ug/L	5.0	0.64	1	03/29/21 12:41	03/31/21 12:37	95-95-4	
2,4,6-Trichlorophenol	<0.79	ug/L	5.0	0.79	1	03/29/21 12:41	03/31/21 12:37	88-06-2	
2,4-Dichlorophenol	<0.89	ug/L	5.0	0.89	1	03/29/21 12:41	03/31/21 12:37	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	5.0	1.1	1	03/29/21 12:41	03/31/21 12:37	105-67-9	
2,4-Dinitrophenol	<2.4	ug/L	9.9	2.4	1	03/29/21 12:41	03/31/21 12:37	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	5.0	1.0	1	03/29/21 12:41	03/31/21 12:37	121-14-2	
2,6-Dinitrotoluene	<0.77	ug/L	5.0	0.77	1	03/29/21 12:41	03/31/21 12:37	606-20-2	
2-Chloronaphthalene	<0.82	ug/L	5.0	0.82	1	03/29/21 12:41	03/31/21 12:37	91-58-7	
2-Chlorophenol	<0.82	ug/L	5.0	0.82	1	03/29/21 12:41	03/31/21 12:37	95-57-8	
2-Methylnaphthalene	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	91-57-6	
2-Methylphenol(o-Cresol)	<0.92	ug/L	5.0	0.92	1	03/29/21 12:41	03/31/21 12:37	95-48-7	
2-Nitroaniline	<0.94	ug/L	5.0	0.94	1	03/29/21 12:41	03/31/21 12:37	88-74-4	
2-Nitrophenol	<0.82	ug/L	5.0	0.82	1	03/29/21 12:41	03/31/21 12:37	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.61	ug/L	5.0	0.61	1	03/29/21 12:41	03/31/21 12:37		
3,3'-Dichlorobenzidine	<1.3	ug/L	5.0	1.3	1	03/29/21 12:41	03/31/21 12:37	91-94-1	2q
3-Nitroaniline	<1.4	ug/L	5.0	1.4	1	03/29/21 12:41	03/31/21 12:37	99-09-2	
4,6-Dinitro-2-methylphenol	<3.1	ug/L	10.3	3.1	1	03/29/21 12:41	03/31/21 12:37	534-52-1	
4-Bromophenylphenyl ether	<0.95	ug/L	5.0	0.95	1	03/29/21 12:41	03/31/21 12:37	101-55-3	
4-Chloro-3-methylphenol	<0.68	ug/L	5.0	0.68	1	03/29/21 12:41	03/31/21 12:37	59-50-7	
4-Chloroaniline	<1.8	ug/L	5.9	1.8	1	03/29/21 12:41	03/31/21 12:37	106-47-8	2q
4-Chlorophenylphenyl ether	<0.82	ug/L	5.0	0.82	1	03/29/21 12:41	03/31/21 12:37	7005-72-3	
4-Nitroaniline	<3.0	ug/L	9.9	3.0	1	03/29/21 12:41	03/31/21 12:37	100-01-6	
4-Nitrophenol	<3.0	ug/L	10.1	3.0	1	03/29/21 12:41	03/31/21 12:37	100-02-7	
Acenaphthene	<0.76	ug/L	5.0	0.76	1	03/29/21 12:41	03/31/21 12:37	83-32-9	
Acenaphthylene	<0.72	ug/L	5.0	0.72	1	03/29/21 12:41	03/31/21 12:37	208-96-8	
Anthracene	<0.80	ug/L	5.0	0.80	1	03/29/21 12:41	03/31/21 12:37	120-12-7	
Benzo(a)anthracene	<0.84	ug/L	5.0	0.84	1	03/29/21 12:41	03/31/21 12:37	56-55-3	
Benzo(a)pyrene	<1.3	ug/L	5.0	1.3	1	03/29/21 12:41	03/31/21 12:37	50-32-8	
Benzo(b)fluoranthene	<1.0	ug/L	5.0	1.0	1	03/29/21 12:41	03/31/21 12:37	205-99-2	
Benzo(g,h,i)perylene	<1.4	ug/L	5.0	1.4	1	03/29/21 12:41	03/31/21 12:37	191-24-2	
Benzo(k)fluoranthene	<1.1	ug/L	5.0	1.1	1	03/29/21 12:41	03/31/21 12:37	207-08-9	
Butylbenzylphthalate	<1.3	ug/L	5.0	1.3	1	03/29/21 12:41	03/31/21 12:37	85-68-7	
Carbazole	<0.90	ug/L	5.0	0.90	1	03/29/21 12:41	03/31/21 12:37	86-74-8	
Chrysene	<1.3	ug/L	5.0	1.3	1	03/29/21 12:41	03/31/21 12:37	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	84-74-2	
Di-n-octylphthalate	<4.7	ug/L	15.7	4.7	1	03/29/21 12:41	03/31/21 12:37	117-84-0	
Dibenz(a,h)anthracene	<1.1	ug/L	5.0	1.1	1	03/29/21 12:41	03/31/21 12:37	53-70-3	
Dibenzofuran	<0.84	ug/L	5.0	0.84	1	03/29/21 12:41	03/31/21 12:37	132-64-9	
Diethylphthalate	<0.77	ug/L	5.0	0.77	1	03/29/21 12:41	03/31/21 12:37	84-66-2	
Dimethylphthalate	<0.71	ug/L	5.0	0.71	1	03/29/21 12:41	03/31/21 12:37	131-11-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D3	Lab ID: 40224032005	Collected: 03/24/21 14:35	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Fluoranthene	<0.98	ug/L	5.0	0.98	1	03/29/21 12:41	03/31/21 12:37	206-44-0	
Fluorene	<0.90	ug/L	5.0	0.90	1	03/29/21 12:41	03/31/21 12:37	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.5	1.1	1	03/29/21 12:41	03/31/21 12:37	87-68-3	
Hexachlorobenzene	<1.6	ug/L	5.0	1.6	1	03/29/21 12:41	03/31/21 12:37	118-74-1	
Hexachlorocyclopentadiene	<1.0	ug/L	5.0	1.0	1	03/29/21 12:41	03/31/21 12:37	77-47-4	
Hexachloroethane	<1.4	ug/L	5.0	1.4	1	03/29/21 12:41	03/31/21 12:37	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	193-39-5	
Isophorone	<0.77	ug/L	5.0	0.77	1	03/29/21 12:41	03/31/21 12:37	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	5.0	1.1	1	03/29/21 12:41	03/31/21 12:37	621-64-7	
N-Nitrosodiphenylamine	<3.4	ug/L	11.4	3.4	1	03/29/21 12:41	03/31/21 12:37	86-30-6	
Naphthalene	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	91-20-3	
Nitrobenzene	<1.1	ug/L	5.0	1.1	1	03/29/21 12:41	03/31/21 12:37	98-95-3	
Pentachlorophenol	<4.5	ug/L	15.0	4.5	1	03/29/21 12:41	03/31/21 12:37	87-86-5	L1
Phenanthrene	<0.94	ug/L	5.0	0.94	1	03/29/21 12:41	03/31/21 12:37	85-01-8	
Phenol	<0.32	ug/L	5.0	0.32	1	03/29/21 12:41	03/31/21 12:37	108-95-2	
Pyrene	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	129-00-0	
bis(2-Chloroethoxy)methane	<1.3	ug/L	5.0	1.3	1	03/29/21 12:41	03/31/21 12:37	111-91-1	
bis(2-Chloroethyl) ether	<1.2	ug/L	5.0	1.2	1	03/29/21 12:41	03/31/21 12:37	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.9	ug/L	9.5	2.9	1	03/29/21 12:41	03/31/21 12:37	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	77	%	41-118		1	03/29/21 12:41	03/31/21 12:37	4165-60-0	
2-Fluorobiphenyl (S)	74	%	54-107		1	03/29/21 12:41	03/31/21 12:37	321-60-8	
Terphenyl-d14 (S)	92	%	51-129		1	03/29/21 12:41	03/31/21 12:37	1718-51-0	
Phenol-d6 (S)	31	%	12-120		1	03/29/21 12:41	03/31/21 12:37	13127-88-3	
2-Fluorophenol (S)	55	%	23-69		1	03/29/21 12:41	03/31/21 12:37	367-12-4	
2,4,6-Tribromophenol (S)	87	%	62-172		1	03/29/21 12:41	03/31/21 12:37	118-79-6	
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 15:04	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/30/21 15:04	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 15:04	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 15:04	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 15:04	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 15:04	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 15:04	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 15:04	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 15:04	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 15:04	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 15:04	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 15:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 15:04	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 15:04	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 15:04	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 15:04	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-D3	Lab ID: 40224032005	Collected: 03/24/21 14:35	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 15:04	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 15:04	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 15:04	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 15:04	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 15:04	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 15:04	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 15:04	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 15:04	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 15:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 15:04	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 15:04	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 15:04	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 15:04	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 15:04	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 15:04	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 15:04	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 15:04	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 15:04	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 15:04	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 15:04	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 15:04	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 15:04	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 15:04	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 15:04	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 15:04	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 15:04	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 15:04	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 15:04	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 15:04	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 15:04	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 15:04	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 15:04	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 15:04	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 15:04	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 15:04	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 15:04	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 15:04	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 15:04	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 15:04	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 15:04	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 15:04	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 15:04	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 15:04	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 15:04	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 15:04	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-D3	Lab ID: 40224032005	Collected: 03/24/21 14:35	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		03/30/21 15:04	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		03/30/21 15:04	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		03/30/21 15:04	2037-26-5	
Sample: MW-D4	Lab ID: 40224032006	Collected: 03/24/21 15:27	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 04:47	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 04:47	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 04:47	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 04:47	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 04:47	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 04:47	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 04:47	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 04:47	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 04:47	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 04:47	93-72-1	
Surrogates									
2,4-DCAA (S)	104	%	14.0-158		1	03/31/21 08:25	04/01/21 04:47	19719-28-9	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic, Dissolved	<8.3	ug/L	25.0	8.3	1	03/31/21 07:14	03/31/21 17:38	7440-38-2	
Barium, Dissolved	7.6	ug/L	5.0	1.5	1	03/31/21 07:14	03/31/21 17:38	7440-39-3	
Cadmium, Dissolved	<1.3	ug/L	5.0	1.3	1	03/31/21 07:14	03/31/21 17:38	7440-43-9	
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1	03/31/21 07:14	03/31/21 17:38	7440-47-3	
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	03/31/21 07:14	03/31/21 17:38	7439-92-1	
Selenium, Dissolved	<12.2	ug/L	40.0	12.2	1	03/31/21 07:14	03/31/21 17:38	7782-49-2	
Silver, Dissolved	<3.2	ug/L	10.0	3.2	1	03/31/21 07:14	03/31/21 17:38	7440-22-4	P4
7470 Mercury, Dissolved	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury, Dissolved	<0.066	ug/L	0.20	0.066	1	03/31/21 10:25	04/01/21 09:11	7439-97-6	P4
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 12:58	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:58	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 12:58	541-73-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D4	Lab ID: 40224032006	Collected: 03/24/21 15:27	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510								
	Pace Analytical Services - Green Bay								
1,4-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:58	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	108-60-1	
2,4,5-Trichlorophenol	<0.62	ug/L	4.8	0.62	1	03/29/21 12:41	03/31/21 12:58	95-95-4	
2,4,6-Trichlorophenol	<0.77	ug/L	4.8	0.77	1	03/29/21 12:41	03/31/21 12:58	88-06-2	
2,4-Dichlorophenol	<0.86	ug/L	4.8	0.86	1	03/29/21 12:41	03/31/21 12:58	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	105-67-9	
2,4-Dinitrophenol	<2.4	ug/L	9.6	2.4	1	03/29/21 12:41	03/31/21 12:58	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 12:58	121-14-2	
2,6-Dinitrotoluene	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 12:58	606-20-2	
2-Chloronaphthalene	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 12:58	91-58-7	
2-Chlorophenol	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 12:58	95-57-8	
2-Methylnaphthalene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	91-57-6	
2-Methylphenol(o-Cresol)	<0.90	ug/L	4.8	0.90	1	03/29/21 12:41	03/31/21 12:58	95-48-7	
2-Nitroaniline	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 12:58	88-74-4	
2-Nitrophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 12:58	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.59	ug/L	4.8	0.59	1	03/29/21 12:41	03/31/21 12:58		
3,3'-Dichlorobenzidine	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:58	91-94-1	2q
3-Nitroaniline	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:58	99-09-2	
4,6-Dinitro-2-methylphenol	<3.0	ug/L	10.0	3.0	1	03/29/21 12:41	03/31/21 12:58	534-52-1	
4-Bromophenylphenyl ether	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 12:58	101-55-3	
4-Chloro-3-methylphenol	<0.66	ug/L	4.8	0.66	1	03/29/21 12:41	03/31/21 12:58	59-50-7	
4-Chloroaniline	<1.7	ug/L	5.7	1.7	1	03/29/21 12:41	03/31/21 12:58	106-47-8	2q
4-Chlorophenylphenyl ether	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 12:58	7005-72-3	
4-Nitroaniline	<2.9	ug/L	9.6	2.9	1	03/29/21 12:41	03/31/21 12:58	100-01-6	
4-Nitrophenol	<2.9	ug/L	9.8	2.9	1	03/29/21 12:41	03/31/21 12:58	100-02-7	
Acenaphthene	<0.73	ug/L	4.8	0.73	1	03/29/21 12:41	03/31/21 12:58	83-32-9	
Acenaphthylene	<0.70	ug/L	4.8	0.70	1	03/29/21 12:41	03/31/21 12:58	208-96-8	
Anthracene	<0.78	ug/L	4.8	0.78	1	03/29/21 12:41	03/31/21 12:58	120-12-7	
Benzo(a)anthracene	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 12:58	56-55-3	
Benzo(a)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	50-32-8	
Benzo(b)fluoranthene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 12:58	205-99-2	
Benzo(g,h,i)perylene	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:58	191-24-2	
Benzo(k)fluoranthene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	207-08-9	
Butylbenzylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	85-68-7	
Carbazole	<0.88	ug/L	4.8	0.88	1	03/29/21 12:41	03/31/21 12:58	86-74-8	
Chrysene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	84-74-2	
Di-n-octylphthalate	<4.6	ug/L	15.3	4.6	1	03/29/21 12:41	03/31/21 12:58	117-84-0	
Dibenz(a,h)anthracene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	53-70-3	
Dibenzofuran	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 12:58	132-64-9	
Diethylphthalate	<0.75	ug/L	4.8	0.75	1	03/29/21 12:41	03/31/21 12:58	84-66-2	
Dimethylphthalate	<0.69	ug/L	4.8	0.69	1	03/29/21 12:41	03/31/21 12:58	131-11-3	
Fluoranthene	<0.95	ug/L	4.8	0.95	1	03/29/21 12:41	03/31/21 12:58	206-44-0	
Fluorene	<0.87	ug/L	4.8	0.87	1	03/29/21 12:41	03/31/21 12:58	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.3	1.1	1	03/29/21 12:41	03/31/21 12:58	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: MW-D4 **Lab ID: 40224032006** Collected: 03/24/21 15:27 Received: 03/26/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Hexachlorobenzene	<1.6	ug/L	4.8	1.6	1	03/29/21 12:41	03/31/21 12:58	118-74-1	
Hexachlorocyclopentadiene	<0.97	ug/L	4.8	0.97	1	03/29/21 12:41	03/31/21 12:58	77-47-4	
Hexachloroethane	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 12:58	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	193-39-5	
Isophorone	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 12:58	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	621-64-7	
N-Nitrosodiphenylamine	<3.3	ug/L	11.1	3.3	1	03/29/21 12:41	03/31/21 12:58	86-30-6	
Naphthalene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	91-20-3	
Nitrobenzene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 12:58	98-95-3	
Pentachlorophenol	<4.4	ug/L	14.6	4.4	1	03/29/21 12:41	03/31/21 12:58	87-86-5	L1
Phenanthren	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 12:58	85-01-8	
Phenol	<0.31	ug/L	4.8	0.31	1	03/29/21 12:41	03/31/21 12:58	108-95-2	
Pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 12:58	129-00-0	
bis(2-Chloroethoxy)methane	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 12:58	111-91-1	
bis(2-Chloroethyl) ether	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 12:58	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.8	ug/L	9.2	2.8	1	03/29/21 12:41	03/31/21 12:58	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	89	%	41-118		1	03/29/21 12:41	03/31/21 12:58	4165-60-0	
2-Fluorobiphenyl (S)	80	%	54-107		1	03/29/21 12:41	03/31/21 12:58	321-60-8	
Terphenyl-d14 (S)	97	%	51-129		1	03/29/21 12:41	03/31/21 12:58	1718-51-0	
Phenol-d6 (S)	36	%	12-120		1	03/29/21 12:41	03/31/21 12:58	13127-88-3	
2-Fluorophenol (S)	60	%	23-69		1	03/29/21 12:41	03/31/21 12:58	367-12-4	
2,4,6-Tribromophenol (S)	98	%	62-172		1	03/29/21 12:41	03/31/21 12:58	118-79-6	
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 17:49	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/30/21 17:49	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 17:49	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 17:49	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 17:49	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 17:49	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 17:49	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 17:49	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 17:49	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 17:49	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 17:49	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 17:49	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 17:49	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:49	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 17:49	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 17:49	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 17:49	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 17:49	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 17:49	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D4	Lab ID: 40224032006	Collected: 03/24/21 15:27	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 17:49	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 17:49	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 17:49	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 17:49	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 17:49	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 17:49	108-86-1	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 17:49	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 17:49	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 17:49	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:49	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 17:49	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 17:49	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 17:49	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 17:49	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 17:49	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 17:49	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 17:49	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 17:49	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 17:49	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 17:49	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 17:49	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 17:49	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 17:49	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 17:49	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 17:49	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 17:49	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 17:49	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 17:49	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 17:49	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 17:49	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 17:49	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 17:49	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 17:49	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 17:49	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 17:49	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 17:49	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 17:49	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 17:49	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 17:49	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 17:49	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		03/30/21 17:49	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		03/30/21 17:49	1868-53-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: MW-D4	Lab ID: 40224032006	Collected: 03/24/21 15:27	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		03/30/21 17:49	2037-26-5	
Sample: DUP	Lab ID: 40224032007	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Chlorinated Herb. (GC) 8151A	Analytical Method: EPA 8151A Preparation Method: 8151A Pace National - Mt. Juliet								
2,4-D	<0.547	ug/L	1.82	0.547	1	03/31/21 08:25	04/01/21 05:01	94-75-7	L0
Dalapon	<0.344	ug/L	1.15	0.344	1	03/31/21 08:25	04/01/21 05:01	127-20-8	L0
2,4-DB	<0.302	ug/L	1.01	0.302	1	03/31/21 08:25	04/01/21 05:01	94-82-6	
Dicamba	<0.245	ug/L	0.817	0.245	1	03/31/21 08:25	04/01/21 05:01	1918-00-9	L0
Dichloroprop	<1.04	ug/L	3.47	1.04	1	03/31/21 08:25	04/01/21 05:01	15165-67-0	L0
Dinoseb	<0.250	ug/L	0.833	0.250	1	03/31/21 08:25	04/01/21 05:01	88-85-7	
MCPA	<13.1	ug/L	43.7	13.1	1	03/31/21 08:25	04/01/21 05:01	94-74-6	
MCPP	<66.0	ug/L	220	66.0	1	03/31/21 08:25	04/01/21 05:01	7085-19-0	L0
2,4,5-T	<0.258	ug/L	0.860	0.258	1	03/31/21 08:25	04/01/21 05:01	93-76-5	
2,4,5-TP (Silvex)	<0.335	ug/L	1.12	0.335	1	03/31/21 08:25	04/01/21 05:01	93-72-1	
Surrogates									
2,4-DCAA (S)	108	%	14.0-158		1	03/31/21 08:25	04/01/21 05:01	19719-28-9	
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay								
Arsenic	<8.3	ug/L	25.0	8.3	1	03/30/21 05:48	03/30/21 19:20	7440-38-2	
Barium	128	ug/L	5.0	1.5	1	03/30/21 05:48	03/30/21 19:20	7440-39-3	
Cadmium	<1.3	ug/L	5.0	1.3	1	03/30/21 05:48	03/30/21 19:20	7440-43-9	
Chromium	32.4	ug/L	10.0	2.5	1	03/30/21 05:48	03/30/21 19:20	7440-47-3	
Lead	<5.9	ug/L	20.0	5.9	1	03/30/21 05:48	03/30/21 19:20	7439-92-1	
Selenium	<12.2	ug/L	40.0	12.2	1	03/30/21 05:48	03/30/21 19:20	7782-49-2	
Silver	<3.2	ug/L	10.0	3.2	1	03/30/21 05:48	03/30/21 19:20	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay								
Mercury	<0.066	ug/L	0.20	0.066	1	03/30/21 09:35	03/31/21 08:13	7439-97-6	1q
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 13:19	120-82-1	
1,2-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 13:19	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/L	5.0	1.5	1	03/29/21 12:41	03/31/21 13:19	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 13:19	106-46-7	
2,2'-Oxybis(1-chloropropane)	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	108-60-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: DUP	Lab ID: 40224032007	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
2,4,5-Trichlorophenol	<0.62	ug/L	4.8	0.62	1	03/29/21 12:41	03/31/21 13:19	95-95-4	
2,4,6-Trichlorophenol	<0.77	ug/L	4.8	0.77	1	03/29/21 12:41	03/31/21 13:19	88-06-2	
2,4-Dichlorophenol	<0.86	ug/L	4.8	0.86	1	03/29/21 12:41	03/31/21 13:19	120-83-2	
2,4-Dimethylphenol	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	105-67-9	
2,4-Dinitrophenol	<2.4	ug/L	9.6	2.4	1	03/29/21 12:41	03/31/21 13:19	51-28-5	
2,4-Dinitrotoluene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 13:19	121-14-2	
2,6-Dinitrotoluene	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 13:19	606-20-2	
2-Chloronaphthalene	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 13:19	91-58-7	
2-Chlorophenol	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 13:19	95-57-8	
2-Methylnaphthalene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	91-57-6	
2-Methylphenol(o-Cresol)	<0.90	ug/L	4.8	0.90	1	03/29/21 12:41	03/31/21 13:19	95-48-7	
2-Nitroaniline	<0.91	ug/L	4.8	0.91	1	03/29/21 12:41	03/31/21 13:19	88-74-4	
2-Nitrophenol	<0.79	ug/L	4.8	0.79	1	03/29/21 12:41	03/31/21 13:19	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.59	ug/L	4.8	0.59	1	03/29/21 12:41	03/31/21 13:19		
3,3'-Dichlorobenzidine	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 13:19	91-94-1	2q
3-Nitroaniline	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 13:19	99-09-2	
4,6-Dinitro-2-methylphenol	<3.0	ug/L	10.0	3.0	1	03/29/21 12:41	03/31/21 13:19	534-52-1	
4-Bromophenylphenyl ether	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 13:19	101-55-3	
4-Chloro-3-methylphenol	<0.66	ug/L	4.8	0.66	1	03/29/21 12:41	03/31/21 13:19	59-50-7	
4-Chloroaniline	<1.7	ug/L	5.7	1.7	1	03/29/21 12:41	03/31/21 13:19	106-47-8	2q
4-Chlorophenylphenyl ether	<0.80	ug/L	4.8	0.80	1	03/29/21 12:41	03/31/21 13:19	7005-72-3	
4-Nitroaniline	<2.9	ug/L	9.6	2.9	1	03/29/21 12:41	03/31/21 13:19	100-01-6	
4-Nitrophenol	<2.9	ug/L	9.8	2.9	1	03/29/21 12:41	03/31/21 13:19	100-02-7	
Acenaphthene	<0.73	ug/L	4.8	0.73	1	03/29/21 12:41	03/31/21 13:19	83-32-9	
Acenaphthylene	<0.70	ug/L	4.8	0.70	1	03/29/21 12:41	03/31/21 13:19	208-96-8	
Anthracene	<0.78	ug/L	4.8	0.78	1	03/29/21 12:41	03/31/21 13:19	120-12-7	
Benzo(a)anthracene	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 13:19	56-55-3	
Benzo(a)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	50-32-8	
Benzo(b)fluoranthene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 13:19	205-99-2	
Benzo(g,h,i)perylene	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 13:19	191-24-2	
Benzo(k)fluoranthene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	207-08-9	
Butylbenzylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	85-68-7	
Carbazole	<0.88	ug/L	4.8	0.88	1	03/29/21 12:41	03/31/21 13:19	86-74-8	
Chrysene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	218-01-9	
Di-n-butylphthalate	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	84-74-2	
Di-n-octylphthalate	<4.6	ug/L	15.3	4.6	1	03/29/21 12:41	03/31/21 13:19	117-84-0	
Dibenz(a,h)anthracene	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	53-70-3	
Dibenzofuran	<0.81	ug/L	4.8	0.81	1	03/29/21 12:41	03/31/21 13:19	132-64-9	
Diethylphthalate	<0.75	ug/L	4.8	0.75	1	03/29/21 12:41	03/31/21 13:19	84-66-2	
Dimethylphthalate	<0.69	ug/L	4.8	0.69	1	03/29/21 12:41	03/31/21 13:19	131-11-3	
Fluoranthene	<0.95	ug/L	4.8	0.95	1	03/29/21 12:41	03/31/21 13:19	206-44-0	
Fluorene	<0.87	ug/L	4.8	0.87	1	03/29/21 12:41	03/31/21 13:19	86-73-7	
Hexachloro-1,3-butadiene	<1.1	ug/L	5.3	1.1	1	03/29/21 12:41	03/31/21 13:19	87-68-3	
Hexachlorobenzene	<1.6	ug/L	4.8	1.6	1	03/29/21 12:41	03/31/21 13:19	118-74-1	
Hexachlorocyclopentadiene	<0.97	ug/L	4.8	0.97	1	03/29/21 12:41	03/31/21 13:19	77-47-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

Sample: DUP	Lab ID: 40224032007	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Semivolatile Org	Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Hexachloroethane	<1.4	ug/L	4.8	1.4	1	03/29/21 12:41	03/31/21 13:19	67-72-1	
Indeno(1,2,3-cd)pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	193-39-5	
Isophorone	<0.74	ug/L	4.8	0.74	1	03/29/21 12:41	03/31/21 13:19	78-59-1	
N-Nitroso-di-n-propylamine	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	621-64-7	
N-Nitrosodiphenylamine	<3.3	ug/L	11.1	3.3	1	03/29/21 12:41	03/31/21 13:19	86-30-6	
Naphthalene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	91-20-3	
Nitrobenzene	<1.0	ug/L	4.8	1.0	1	03/29/21 12:41	03/31/21 13:19	98-95-3	
Pentachlorophenol	<4.4	ug/L	14.6	4.4	1	03/29/21 12:41	03/31/21 13:19	87-86-5	L1
Phenanthrene	<0.92	ug/L	4.8	0.92	1	03/29/21 12:41	03/31/21 13:19	85-01-8	
Phenol	<0.31	ug/L	4.8	0.31	1	03/29/21 12:41	03/31/21 13:19	108-95-2	
Pyrene	<1.2	ug/L	4.8	1.2	1	03/29/21 12:41	03/31/21 13:19	129-00-0	
bis(2-Chloroethoxy)methane	<1.3	ug/L	4.8	1.3	1	03/29/21 12:41	03/31/21 13:19	111-91-1	
bis(2-Chloroethyl) ether	<1.1	ug/L	4.8	1.1	1	03/29/21 12:41	03/31/21 13:19	111-44-4	
bis(2-Ethylhexyl)phthalate	<2.8	ug/L	9.2	2.8	1	03/29/21 12:41	03/31/21 13:19	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	92	%	41-118		1	03/29/21 12:41	03/31/21 13:19	4165-60-0	
2-Fluorobiphenyl (S)	82	%	54-107		1	03/29/21 12:41	03/31/21 13:19	321-60-8	
Terphenyl-d14 (S)	94	%	51-129		1	03/29/21 12:41	03/31/21 13:19	1718-51-0	
Phenol-d6 (S)	34	%	12-120		1	03/29/21 12:41	03/31/21 13:19	13127-88-3	
2-Fluorophenol (S)	56	%	23-69		1	03/29/21 12:41	03/31/21 13:19	367-12-4	
2,4,6-Tribromophenol (S)	93	%	62-172		1	03/29/21 12:41	03/31/21 13:19	118-79-6	
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 18:12	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/30/21 18:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 18:12	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/30/21 18:12	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/30/21 18:12	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/30/21 18:12	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/30/21 18:12	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/30/21 18:12	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/30/21 18:12	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/30/21 18:12	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/30/21 18:12	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/30/21 18:12	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/30/21 18:12	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 18:12	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/30/21 18:12	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/30/21 18:12	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/30/21 18:12	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/30/21 18:12	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/30/21 18:12	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/30/21 18:12	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/30/21 18:12	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Sample: DUP	Lab ID: 40224032007	Collected: 03/24/21 00:00	Received: 03/26/21 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/30/21 18:12	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/30/21 18:12	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		03/30/21 18:12	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/30/21 18:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/30/21 18:12	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/30/21 18:12	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/30/21 18:12	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/30/21 18:12	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		03/30/21 18:12	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 18:12	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/30/21 18:12	75-00-3	L1
Chloroform	<1.3	ug/L	5.0	1.3	1		03/30/21 18:12	67-66-3	L1
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/30/21 18:12	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/30/21 18:12	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/30/21 18:12	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/30/21 18:12	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/30/21 18:12	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/30/21 18:12	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/30/21 18:12	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/30/21 18:12	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/30/21 18:12	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/30/21 18:12	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/30/21 18:12	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		03/30/21 18:12	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/30/21 18:12	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		03/30/21 18:12	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/30/21 18:12	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/30/21 18:12	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/30/21 18:12	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/30/21 18:12	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/30/21 18:12	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/30/21 18:12	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/30/21 18:12	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/30/21 18:12	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/30/21 18:12	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/30/21 18:12	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/30/21 18:12	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/30/21 18:12	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		03/30/21 18:12	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/30/21 18:12	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		03/30/21 18:12	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		03/30/21 18:12	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		03/30/21 18:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

QC Batch:	1643183	Analysis Method:	EPA 8151A
QC Batch Method:	8151A	Analysis Description:	Chlorinated Herb. (GC) 8151A
		Laboratory:	Pace National - Mt. Juliet

Associated Lab Samples: 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

METHOD BLANK: R3637004-1 Matrix: Water

Associated Lab Samples: 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
2,4-D	ug/L	<0.547	1.82	04/01/21 03:20	
Dalapon	ug/L	<0.344	1.15	04/01/21 03:20	
2,4-DB	ug/L	<0.302	1.01	04/01/21 03:20	
Dicamba	ug/L	<0.245	0.817	04/01/21 03:20	
Dichloroprop	ug/L	<1.04	3.47	04/01/21 03:20	
Dinoseb	ug/L	<0.250	0.833	04/01/21 03:20	
MCPA	ug/L	<13.1	43.7	04/01/21 03:20	
MCPP	ug/L	<66.0	220	04/01/21 03:20	
2,4,5-T	ug/L	<0.258	0.860	04/01/21 03:20	
2,4,5-TP (Silvex)	ug/L	<0.335	1.12	04/01/21 03:20	
2,4-DCAA (S)	%	106	14.0-158	04/01/21 03:20	

LABORATORY CONTROL SAMPLE: R3637004-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-D	ug/L	5.00	6.56	131	50.0-120	L0,P9
Dalapon	ug/L	5.00	6.69	134	32.0-120	L0
2,4-DB	ug/L	5.00	5.47	109	53.0-140	P9
Dicamba	ug/L	5.00	7.08	142	51.0-120	L0,P9
Dichloroprop	ug/L	5.00	7.69	154	55.0-127	L0,P9
Dinoseb	ug/L	5.00	3.81	76.2	36.0-134	
MCPA	ug/L	50.0	76.7	153	10.0-160	
MCPP	ug/L	50.0	147	294	10.0-160	L0,P9
2,4,5-T	ug/L	5.00	5.62	112	54.0-120	
2,4,5-TP (Silvex)	ug/L	5.00	6.10	122	50.0-125	
2,4-DCAA (S)	%			95.8	14.0-158	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: R3637004-3 R3637004-4

Parameter	Units	MS L1332289-03		MSD Spike Conc.		MS L1332289-03		MSD % Rec		MS % Rec		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Result	Spike Conc.	Result	% Rec	Result	% Rec	Result	% Rec				
2,4-D	ug/L	ND	4.76	5.55	6.07	7.06	128	127	50.0-120	15.1	20	MH,P9			
Dalapon	ug/L	ND	4.76	5.55	6.05	6.90	127	124	32.0-120	13.1	20	MH			
2,4-DB	ug/L	ND	4.76	5.55	5.04	5.99	106	108	53.0-140	17.2	20	P9			
Dicamba	ug/L	ND	4.76	5.55	6.20	6.92	130	125	51.0-120	11.0	20	MH			
Dichloroprop	ug/L	ND	4.76	5.55	7.57	8.63	159	155	55.0-127	13.1	20	MH,P9			
Dinoseb	ug/L	ND	4.76	5.55	3.28	3.74	68.9	67.4	36.0-134	13.1	20				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		R3637004-3		R3637004-4								
Parameter	Units	MS		MSD		MS Result	% Rec	MSD % Rec	% Rec Limits	RPD	RPD	Max Qual
		L1332289-03	Spike Conc.	Spike Conc.	MS Result							
MCPA	ug/L	ND	47.6	55.5	81.8	98.4	172	177	10.0-160	18.4	40	MH
MCPP	ug/L	ND	47.6	55.5	206	235	433	423	10.0-160	13.2	23	MH,P9
2,4,5-T	ug/L	ND	4.76	5.55	4.46	5.93	93.7	107	54.0-120	28.3	20	R1
2,4,5-TP (Silvex)	ug/L	ND	4.76	5.55	5.51	6.28	116	113	50.0-125	13.1	20	
2,4-DCAA (S)	%					91.2		87.4	14.0-158			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

QC Batch:	381024	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40224032002, 40224032003, 40224032007		

METHOD BLANK: 2197623 Matrix: Water

Associated Lab Samples: 40224032002, 40224032003, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	03/31/21 07:55	

LABORATORY CONTROL SAMPLE: 2197624

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	97	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2197625 2197626

Parameter	Units	MS Result	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	40224032002	<0.066	5	5	5.1	5.0	102	100	85-115	2 20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

QC Batch:	381133	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury Dissolved
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40224032004, 40224032005, 40224032006		

METHOD BLANK: 2198100 Matrix: Water

Associated Lab Samples: 40224032004, 40224032005, 40224032006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury, Dissolved	ug/L	<0.066	0.20	04/01/21 08:45	

LABORATORY CONTROL SAMPLE: 2198101

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury, Dissolved	ug/L	5	5.2	103	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2198102 2198103

Parameter	Units	MS Result	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury, Dissolved	ug/L	40224048001 <0.000066 mg/L	5	5	4.9	4.8	98	97	85-115	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

QC Batch: 380977 Analysis Method: EPA 6010

QC Batch Method: EPA 3010 Analysis Description: 6010 MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40224032002, 40224032003, 40224032007

METHOD BLANK: 2197486 Matrix: Water

Associated Lab Samples: 40224032002, 40224032003, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	<8.3	25.0	03/30/21 19:01	
Barium	ug/L	<1.5	5.0	03/30/21 19:01	
Cadmium	ug/L	<1.3	5.0	03/30/21 19:01	
Chromium	ug/L	<2.5	10.0	03/30/21 19:01	
Lead	ug/L	<5.9	20.0	03/30/21 19:01	
Selenium	ug/L	<12.2	40.0	03/30/21 19:01	
Silver	ug/L	<3.2	10.0	03/30/21 19:01	

LABORATORY CONTROL SAMPLE: 2197487

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	500	480	96	80-120	
Barium	ug/L	500	478	96	80-120	
Cadmium	ug/L	500	478	96	80-120	
Chromium	ug/L	500	494	99	80-120	
Lead	ug/L	500	485	97	80-120	
Selenium	ug/L	500	488	98	80-120	
Silver	ug/L	250	238	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2197488 2197489

Parameter	Units	MS		MSD		MS		MSD		% Rec		RPD	Max RPD	Qual
		40224032002	Result	Spike Conc.	Spike Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits		
Arsenic	ug/L	<8.3	500	500	496	485	99	97	75-125	2	20			
Barium	ug/L	5.5	500	500	495	483	98	96	75-125	2	20			
Cadmium	ug/L	<1.3	500	500	486	477	97	95	75-125	2	20			
Chromium	ug/L	<2.5	500	500	506	497	101	99	75-125	2	20			
Lead	ug/L	<5.9	500	500	497	490	99	98	75-125	1	20			
Selenium	ug/L	<12.2	500	500	491	491	98	98	75-125	0	20			
Silver	ug/L	<3.2	250	250	241	240	96	95	75-125	1	20			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

QC Batch: 381038 Analysis Method: EPA 6010

QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved

Laboratory:

Pace Analytical Services - Green Bay

Associated Lab Samples: 40224032004, 40224032005, 40224032006

METHOD BLANK: 2197779 Matrix: Water

Associated Lab Samples: 40224032004, 40224032005, 40224032006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<8.3	25.0	03/31/21 17:15	
Barium, Dissolved	ug/L	<1.5	5.0	03/31/21 17:15	
Cadmium, Dissolved	ug/L	<1.3	5.0	03/31/21 17:15	
Chromium, Dissolved	ug/L	<2.5	10.0	03/31/21 17:15	
Lead, Dissolved	ug/L	<5.9	20.0	03/31/21 17:15	
Selenium, Dissolved	ug/L	<12.2	40.0	03/31/21 17:15	
Silver, Dissolved	ug/L	<3.2	10.0	03/31/21 17:15	

LABORATORY CONTROL SAMPLE: 2197780

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	500	494	99	80-120	
Barium, Dissolved	ug/L	500	487	97	80-120	
Cadmium, Dissolved	ug/L	500	489	98	80-120	
Chromium, Dissolved	ug/L	500	502	100	80-120	
Lead, Dissolved	ug/L	500	496	99	80-120	
Selenium, Dissolved	ug/L	500	506	101	80-120	
Silver, Dissolved	ug/L	250	240	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2197781 2197782

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		40224032004	Result	Spike Conc.	Spike Conc.	Result	MSD	Result	% Rec				
Arsenic, Dissolved	ug/L	<8.3	500	500	498	503	99	100	75-125	1	20		
Barium, Dissolved	ug/L	5.9	500	500	487	492	96	97	75-125	1	20		
Cadmium, Dissolved	ug/L	<1.3	500	500	488	493	98	99	75-125	1	20		
Chromium, Dissolved	ug/L	<2.5	500	500	495	502	99	100	75-125	1	20		
Lead, Dissolved	ug/L	<5.9	500	500	493	494	98	98	75-125	0	20		
Selenium, Dissolved	ug/L	<12.2	500	500	495	506	99	101	75-125	2	20		
Silver, Dissolved	ug/L	<3.2	250	250	234	239	93	95	75-125	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

QC Batch: 380793 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40224032001, 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

METHOD BLANK: 2196380

Matrix: Water

Associated Lab Samples: 40224032001, 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	03/30/21 06:50	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	03/30/21 06:50	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	03/30/21 06:50	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	03/30/21 06:50	
1,1-Dichloroethane	ug/L	<0.27	1.0	03/30/21 06:50	
1,1-Dichloroethene	ug/L	<0.24	1.0	03/30/21 06:50	
1,1-Dichloropropene	ug/L	<0.54	1.8	03/30/21 06:50	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	03/30/21 06:50	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	03/30/21 06:50	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/30/21 06:50	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	03/30/21 06:50	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	03/30/21 06:50	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	03/30/21 06:50	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	03/30/21 06:50	
1,2-Dichloroethane	ug/L	<0.28	1.0	03/30/21 06:50	
1,2-Dichloropropane	ug/L	<0.28	1.0	03/30/21 06:50	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	03/30/21 06:50	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	03/30/21 06:50	
1,3-Dichloropropane	ug/L	<0.83	2.8	03/30/21 06:50	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	03/30/21 06:50	
2,2-Dichloropropane	ug/L	<2.3	7.6	03/30/21 06:50	
2-Chlorotoluene	ug/L	<0.93	5.0	03/30/21 06:50	
4-Chlorotoluene	ug/L	<0.76	2.5	03/30/21 06:50	
Benzene	ug/L	<0.25	1.0	03/30/21 06:50	
Bromobenzene	ug/L	<0.24	1.0	03/30/21 06:50	
Bromochloromethane	ug/L	<0.36	5.0	03/30/21 06:50	
Bromodichloromethane	ug/L	<0.36	1.2	03/30/21 06:50	
Bromoform	ug/L	<4.0	13.2	03/30/21 06:50	
Bromomethane	ug/L	<0.97	5.0	03/30/21 06:50	
Carbon tetrachloride	ug/L	<1.1	3.6	03/30/21 06:50	
Chlorobenzene	ug/L	<0.71	2.4	03/30/21 06:50	
Chloroethane	ug/L	<1.3	5.0	03/30/21 06:50	
Chloroform	ug/L	<1.3	5.0	03/30/21 06:50	
Chloromethane	ug/L	<2.2	7.3	03/30/21 06:50	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	03/30/21 06:50	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	03/30/21 06:50	
Dibromochloromethane	ug/L	<2.6	8.7	03/30/21 06:50	
Dibromomethane	ug/L	<0.94	3.1	03/30/21 06:50	
Dichlorodifluoromethane	ug/L	<0.50	5.0	03/30/21 06:50	
Diisopropyl ether	ug/L	<1.9	6.3	03/30/21 06:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

METHOD BLANK: 2196380

Matrix: Water

Associated Lab Samples: 40224032001, 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.32	1.1	03/30/21 06:50	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	03/30/21 06:50	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	03/30/21 06:50	
m&p-Xylene	ug/L	<0.47	2.0	03/30/21 06:50	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	03/30/21 06:50	
Methylene Chloride	ug/L	<0.58	5.0	03/30/21 06:50	
n-Butylbenzene	ug/L	<0.71	2.4	03/30/21 06:50	
n-Propylbenzene	ug/L	<0.81	5.0	03/30/21 06:50	
Naphthalene	ug/L	<1.2	5.0	03/30/21 06:50	
o-Xylene	ug/L	<0.26	1.0	03/30/21 06:50	
p-Isopropyltoluene	ug/L	<0.80	2.7	03/30/21 06:50	
sec-Butylbenzene	ug/L	<0.85	5.0	03/30/21 06:50	
Styrene	ug/L	<3.0	10.0	03/30/21 06:50	
tert-Butylbenzene	ug/L	<0.30	1.0	03/30/21 06:50	
Tetrachloroethene	ug/L	<0.33	1.1	03/30/21 06:50	
Toluene	ug/L	<0.27	1.0	03/30/21 06:50	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	03/30/21 06:50	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	03/30/21 06:50	
Trichloroethene	ug/L	<0.26	1.0	03/30/21 06:50	
Trichlorofluoromethane	ug/L	<0.21	1.0	03/30/21 06:50	
Vinyl chloride	ug/L	<0.17	1.0	03/30/21 06:50	
4-Bromofluorobenzene (S)	%	93	70-130	03/30/21 06:50	
Dibromofluoromethane (S)	%	105	70-130	03/30/21 06:50	
Toluene-d8 (S)	%	97	70-130	03/30/21 06:50	

LABORATORY CONTROL SAMPLE: 2196381

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	60.4	121	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	55.7	111	66-130	
1,1,2-Trichloroethane	ug/L	50	54.7	109	70-130	
1,1-Dichloroethane	ug/L	50	64.3	129	68-132	
1,1-Dichloroethene	ug/L	50	60.8	122	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.0	90	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	50.1	100	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.4	103	70-130	
1,2-Dichlorobenzene	ug/L	50	51.8	104	70-130	
1,2-Dichloroethane	ug/L	50	65.1	130	70-130	
1,2-Dichloropropane	ug/L	50	58.4	117	78-125	
1,3-Dichlorobenzene	ug/L	50	49.2	98	70-130	
1,4-Dichlorobenzene	ug/L	50	53.3	107	70-130	
Benzene	ug/L	50	55.2	110	70-132	
Bromodichloromethane	ug/L	50	54.8	110	70-130	
Bromoform	ug/L	50	43.7	87	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

LABORATORY CONTROL SAMPLE: 2196381

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	40.1	80	44-128	
Carbon tetrachloride	ug/L	50	59.7	119	70-130	
Chlorobenzene	ug/L	50	52.8	106	70-130	
Chloroethane	ug/L	50	73.7	147	73-137 L1	
Chloroform	ug/L	50	63.0	126	80-122 L1	
Chloromethane	ug/L	50	63.0	126	27-148	
cis-1,2-Dichloroethene	ug/L	50	59.4	119	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.8	98	70-130	
Dibromochloromethane	ug/L	50	50.4	101	70-130	
Dichlorodifluoromethane	ug/L	50	56.1	112	22-151	
Ethylbenzene	ug/L	50	54.1	108	80-123	
Isopropylbenzene (Cumene)	ug/L	50	55.5	111	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	59.1	118	66-130	
Methylene Chloride	ug/L	50	62.7	125	70-130	
o-Xylene	ug/L	50	54.3	109	70-130	
Styrene	ug/L	50	56.5	113	70-130	
Tetrachloroethene	ug/L	50	52.5	105	70-130	
Toluene	ug/L	50	52.6	105	80-121	
trans-1,2-Dichloroethene	ug/L	50	62.0	124	70-130	
trans-1,3-Dichloropropene	ug/L	50	46.3	93	58-125	
Trichloroethene	ug/L	50	56.4	113	70-130	
Trichlorofluoromethane	ug/L	50	72.7	145	84-148	
Vinyl chloride	ug/L	50	65.6	131	63-142	
4-Bromofluorobenzene (S)	%			104	70-130	
Dibromofluoromethane (S)	%			108	70-130	
Toluene-d8 (S)	%			98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

QC Batch:	380887	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3510	Analysis Description:	8270E Water MSSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

METHOD BLANK: 2197115

Matrix: Water

Associated Lab Samples: 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<1.6	5.2	03/31/21 09:07	
1,2-Dichlorobenzene	ug/L	<1.4	5.0	03/31/21 09:07	
1,3-Dichlorobenzene	ug/L	<1.5	5.2	03/31/21 09:07	
1,4-Dichlorobenzene	ug/L	<1.4	5.0	03/31/21 09:07	
2,2'-Oxybis(1-chloropropane)	ug/L	<1.2	5.0	03/31/21 09:07	
2,4,5-Trichlorophenol	ug/L	<0.64	5.0	03/31/21 09:07	
2,4,6-Trichlorophenol	ug/L	<0.80	5.0	03/31/21 09:07	
2,4-Dichlorophenol	ug/L	<0.90	5.0	03/31/21 09:07	
2,4-Dimethylphenol	ug/L	<1.2	5.0	03/31/21 09:07	
2,4-Dinitrophenol	ug/L	<2.5	10.0	03/31/21 09:07	
2,4-Dinitrotoluene	ug/L	<1.1	5.0	03/31/21 09:07	
2,6-Dinitrotoluene	ug/L	<0.77	5.0	03/31/21 09:07	
2-Chloronaphthalene	ug/L	<0.83	5.0	03/31/21 09:07	
2-Chlorophenol	ug/L	<0.83	5.0	03/31/21 09:07	
2-Methylnaphthalene	ug/L	<1.2	5.0	03/31/21 09:07	
2-Methylphenol(o-Cresol)	ug/L	<0.93	5.0	03/31/21 09:07	
2-Nitroaniline	ug/L	<0.95	5.0	03/31/21 09:07	
2-Nitrophenol	ug/L	<0.83	5.0	03/31/21 09:07	
3&4-Methylphenol(m&p Cresol)	ug/L	<0.61	5.0	03/31/21 09:07	
3,3'-Dichlorobenzidine	ug/L	<1.3	5.0	03/31/21 09:07	2q
3-Nitroaniline	ug/L	<1.4	5.0	03/31/21 09:07	
4,6-Dinitro-2-methylphenol	ug/L	<3.1	10.4	03/31/21 09:07	
4-Bromophenylphenyl ether	ug/L	<0.96	5.0	03/31/21 09:07	
4-Chloro-3-methylphenol	ug/L	<0.68	5.0	03/31/21 09:07	
4-Chloroaniline	ug/L	<1.8	6.0	03/31/21 09:07	2q
4-Chlorophenylphenyl ether	ug/L	<0.83	5.0	03/31/21 09:07	
4-Nitroaniline	ug/L	<3.0	10	03/31/21 09:07	
4-Nitrophenol	ug/L	<3.1	10.2	03/31/21 09:07	
Acenaphthene	ug/L	<0.76	5.0	03/31/21 09:07	
Acenaphthylene	ug/L	<0.73	5.0	03/31/21 09:07	
Anthracene	ug/L	<0.81	5.0	03/31/21 09:07	
Benzo(a)anthracene	ug/L	<0.85	5.0	03/31/21 09:07	
Benzo(a)pyrene	ug/L	<1.3	5.0	03/31/21 09:07	
Benzo(b)fluoranthene	ug/L	<1.0	5.0	03/31/21 09:07	
Benzo(g,h,i)perylene	ug/L	<1.4	5.0	03/31/21 09:07	
Benzo(k)fluoranthene	ug/L	<1.1	5.0	03/31/21 09:07	
bis(2-Chloroethoxy)methane	ug/L	<1.3	5.0	03/31/21 09:07	
bis(2-Chloroethyl) ether	ug/L	<1.2	5.0	03/31/21 09:07	
bis(2-Ethylhexyl)phthalate	ug/L	<2.9	9.6	03/31/21 09:07	
Butylbenzylphthalate	ug/L	<1.3	5.0	03/31/21 09:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

METHOD BLANK: 2197115

Matrix: Water

Associated Lab Samples: 40224032002, 40224032003, 40224032004, 40224032005, 40224032006, 40224032007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Carbazole	ug/L	<0.91	5.0	03/31/21 09:07	
Chrysene	ug/L	<1.3	5.0	03/31/21 09:07	
Di-n-butylphthalate	ug/L	<1.2	5.0	03/31/21 09:07	
Di-n-octylphthalate	ug/L	<4.8	15.9	03/31/21 09:07	
Dibenz(a,h)anthracene	ug/L	<1.1	5.0	03/31/21 09:07	
Dibenzofuran	ug/L	<0.85	5.0	03/31/21 09:07	
Diethylphthalate	ug/L	<0.78	5.0	03/31/21 09:07	
Dimethylphthalate	ug/L	<0.72	5.0	03/31/21 09:07	
Fluoranthene	ug/L	<0.99	5.0	03/31/21 09:07	
Fluorene	ug/L	<0.91	5.0	03/31/21 09:07	
Hexachloro-1,3-butadiene	ug/L	<1.1	5.5	03/31/21 09:07	
Hexachlorobenzene	ug/L	<1.7	5.0	03/31/21 09:07	
Hexachlorocyclopentadiene	ug/L	<1.0	5.0	03/31/21 09:07	
Hexachloroethane	ug/L	<1.4	5.0	03/31/21 09:07	
Indeno(1,2,3-cd)pyrene	ug/L	<1.2	5.0	03/31/21 09:07	
Isophorone	ug/L	<0.77	5.0	03/31/21 09:07	
N-Nitroso-di-n-propylamine	ug/L	<1.1	5.0	03/31/21 09:07	
N-Nitrosodiphenylamine	ug/L	<3.4	11.5	03/31/21 09:07	
Naphthalene	ug/L	<1.2	5.0	03/31/21 09:07	
Nitrobenzene	ug/L	<1.1	5.0	03/31/21 09:07	
Pentachlorophenol	ug/L	<4.6	15.2	03/31/21 09:07	
Phenanthrene	ug/L	<0.95	5.0	03/31/21 09:07	
Phenol	ug/L	<0.32	5.0	03/31/21 09:07	
Pyrene	ug/L	<1.2	5.0	03/31/21 09:07	
2,4,6-Tribromophenol (S)	%	98	62-172	03/31/21 09:07	
2-Fluorobiphenyl (S)	%	81	54-107	03/31/21 09:07	
2-Fluorophenol (S)	%	57	23-69	03/31/21 09:07	
Nitrobenzene-d5 (S)	%	86	41-118	03/31/21 09:07	
Phenol-d6 (S)	%	34	12-120	03/31/21 09:07	
Terphenyl-d14 (S)	%	99	51-129	03/31/21 09:07	

LABORATORY CONTROL SAMPLE & LCSD: 2197116

2197117

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	40.9	40.7	82	81	64-130	1	20	
1,2-Dichlorobenzene	ug/L	50	38.2	35.7	76	71	50-130	7	20	
1,3-Dichlorobenzene	ug/L	50	35.1	30.7	70	61	41-130	13	20	
1,4-Dichlorobenzene	ug/L	50	35.6	32.5	71	65	46-89	9	20	
2,2'-Oxybis(1-chloropropane)	ug/L	50	46.6	45.9	93	92	56-116	2	20	
2,4,5-Trichlorophenol	ug/L	50	51.1	53.5	102	107	60-122	5	28	
2,4,6-Trichlorophenol	ug/L	50	54.0	55.2	108	110	59-119	2	29	
2,4-Dichlorophenol	ug/L	50	46.5	47.8	93	96	50-120	3	33	
2,4-Dimethylphenol	ug/L	50	34.5	34.3	69	69	36-103	1	35	
2,4-Dinitrophenol	ug/L	50	46.3	48.6	93	97	34-120	5	35	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

LABORATORY CONTROL SAMPLE & LCSD: 2197116

2197117

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	% Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
2,4-Dinitrotoluene	ug/L	50	56.8	58.5	114	117	70-130	3	20	
2,6-Dinitrotoluene	ug/L	50	54.5	57.5	109	115	70-134	5	20	
2-Chloronaphthalene	ug/L	50	50.0	50.4	100	101	70-126	1	20	
2-Chlorophenol	ug/L	50	43.5	44.3	87	89	50-130	2	31	
2-Methylnaphthalene	ug/L	50	46.4	44.9	93	90	70-130	3	20	
2-Methylphenol(o-Cresol)	ug/L	50	42.3	42.1	85	84	47-130	0	31	
2-Nitroaniline	ug/L	50	53.6	55.8	107	112	70-130	4	20	
2-Nitrophenol	ug/L	50	51.9	51.4	104	103	57-128	1	31	
3&4-Methylphenol(m&p Cresol)	ug/L	50	38.3	37.5	77	75	43-130	2	28	
3,3'-Dichlorobenzidine	ug/L	50	42.2	42.2	84	84	36-132	0	21 2q	
3-Nitroaniline	ug/L	50	44.4	47.1	89	94	65-130	6	21	
4,6-Dinitro-2-methylphenol	ug/L	50	51.6	51.5	103	103	47-127	0	26	
4-Bromophenylphenyl ether	ug/L	50	52.8	52.8	106	106	70-130	0	20	
4-Chloro-3-methylphenol	ug/L	50	47.8	49.2	96	98	51-122	3	37	
4-Chloroaniline	ug/L	50	40.9	39.5	82	79	54-130	4	26 2q	
4-Chlorophenylphenyl ether	ug/L	50	51.9	54.8	104	110	70-130	5	20	
4-Nitroaniline	ug/L	50	52.3	53.5	105	107	70-130	2	21	
4-Nitrophenol	ug/L	50	25.3	25.3	51	51	11-130	0	33	
Acenaphthene	ug/L	50	51.4	51.9	103	104	80-120	1	20	
Acenaphthylene	ug/L	50	52.7	52.8	105	106	70-130	0	20	
Anthracene	ug/L	50	55.2	54.2	110	108	70-130	2	20	
Benzo(a)anthracene	ug/L	50	53.4	55.0	107	110	70-130	3	20	
Benzo(a)pyrene	ug/L	50	55.5	55.8	111	112	73-123	1	20	
Benzo(b)fluoranthene	ug/L	50	55.7	56.5	111	113	70-130	1	20	
Benzo(g,h,i)perylene	ug/L	50	53.6	54.4	107	109	69-130	1	20	
Benzo(k)fluoranthene	ug/L	50	56.0	57.8	112	116	70-130	3	20	
bis(2-Chloroethoxy)methane	ug/L	50	54.1	55.4	108	111	70-130	2	20	
bis(2-Chloroethyl) ether	ug/L	50	54.5	53.6	109	107	70-130	2	20	
bis(2-Ethylhexyl)phthalate	ug/L	50	58.2	59.6	116	119	70-136	2	20	
Butylbenzylphthalate	ug/L	50	59.0	59.1	118	118	75-143	0	20	
Carbazole	ug/L	50	58.3	56.8	117	114	70-130	3	20	
Chrysene	ug/L	50	52.1	54.5	104	109	70-135	4	20	
Di-n-butylphthalate	ug/L	50	59.7	57.4	119	115	70-130	4	20	
Di-n-octylphthalate	ug/L	50	62.3	63.2	125	126	64-139	1	20	
Dibenz(a,h)anthracene	ug/L	50	54.3	56.5	109	113	48-141	4	20	
Dibenzofuran	ug/L	50	50.8	52.9	102	106	70-130	4	20	
Diethylphthalate	ug/L	50	55.1	55.9	110	112	70-130	1	20	
Dimethylphthalate	ug/L	50	53.3	55.7	107	111	70-130	4	20	
Fluoranthene	ug/L	50	59.2	55.9	118	112	83-134	6	20	
Fluorene	ug/L	50	50.8	53.4	102	107	70-130	5	20	
Hexachloro-1,3-butadiene	ug/L	50	33.3	32.5	67	65	51-103	3	20	
Hexachlorobenzene	ug/L	50	52.6	50.8	105	102	70-130	3	20	
Hexachlorocyclopentadiene	ug/L	50	24.6	21.0	49	42	21-130	16	24	
Hexachloroethane	ug/L	50	29.9	26.4	60	53	35-102	12	22	
Indeno(1,2,3-cd)pyrene	ug/L	50	54.4	56.7	109	113	63-127	4	20	
Isophorone	ug/L	50	52.6	53.0	105	106	70-130	1	20	
N-Nitroso-di-n-propylamine	ug/L	50	52.6	52.7	105	105	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

LABORATORY CONTROL SAMPLE & LCSD: 2197116

2197117

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
N-Nitrosodiphenylamine	ug/L	50	56.3	56.7	113	113	77-119	1	20	
Naphthalene	ug/L	50	46.4	46.4	93	93	70-130	0	20	
Nitrobenzene	ug/L	50	49.4	48.8	99	98	70-130	1	20	
Pentachlorophenol	ug/L	50	50.7	51.0	101	102	53-101	1	24 L1	
Phenanthrene	ug/L	50	53.2	54.4	106	109	70-130	2	20	
Phenol	ug/L	50	21.9	22.6	44	45	28-120	3	23	
Pyrene	ug/L	50	54.5	56.6	109	113	70-130	4	20	
2,4,6-Tribromophenol (S)	%				96	99	62-172			
2-Fluorobiphenyl (S)	%				88	89	54-107			
2-Fluorophenol (S)	%				60	58	23-69			
Nitrobenzene-d5 (S)	%				89	90	41-118			
Phenol-d6 (S)	%				38	37	12-120			
Terphenyl-d14 (S)	%				95	99	51-129			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 129461 WOOD COUNTY SOLAR

Pace Project No.: 40224032

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 40224032

[1] The samples were received outside of required temperature range. Analysis was completed upon client approval.

BATCH QUALIFIERS

Batch: 380967

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

- 1q Analyte was measured in the associated method blank at a concentration of -0.11ug/L.
- 2q The initial calibration verification for this compound was outside of method control limits.
- L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
- MH Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.
- P4 Sample field preservation does not meet EPA or method recommendations for this analysis.
- P9 RPD between the primary and confirmatory analysis exceeded 40%.
- R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 129461 WOOD COUNTY SOLAR
Pace Project No.: 40224032

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40224032002	MW-U3	8151A	1643183	EPA 8151A	1643183
40224032003	MW-U4	8151A	1643183	EPA 8151A	1643183
40224032004	MW-D2	8151A	1643183	EPA 8151A	1643183
40224032005	MW-D3	8151A	1643183	EPA 8151A	1643183
40224032006	MW-D4	8151A	1643183	EPA 8151A	1643183
40224032007	DUP	8151A	1643183	EPA 8151A	1643183
40224032002	MW-U3	EPA 3010	380977	EPA 6010	381066
40224032003	MW-U4	EPA 3010	380977	EPA 6010	381066
40224032007	DUP	EPA 3010	380977	EPA 6010	381066
40224032004	MW-D2	EPA 3010	381038	EPA 6010	381195
40224032005	MW-D3	EPA 3010	381038	EPA 6010	381195
40224032006	MW-D4	EPA 3010	381038	EPA 6010	381195
40224032002	MW-U3	EPA 7470	381024	EPA 7470	381049
40224032003	MW-U4	EPA 7470	381024	EPA 7470	381049
40224032007	DUP	EPA 7470	381024	EPA 7470	381049
40224032004	MW-D2	EPA 7470	381133	EPA 7470	381194
40224032005	MW-D3	EPA 7470	381133	EPA 7470	381194
40224032006	MW-D4	EPA 7470	381133	EPA 7470	381194
40224032002	MW-U3	EPA 3510	380887	EPA 8270E	380967
40224032003	MW-U4	EPA 3510	380887	EPA 8270E	380967
40224032004	MW-D2	EPA 3510	380887	EPA 8270E	380967
40224032005	MW-D3	EPA 3510	380887	EPA 8270E	380967
40224032006	MW-D4	EPA 3510	380887	EPA 8270E	380967
40224032007	DUP	EPA 3510	380887	EPA 8270E	380967
40224032001	TRIP BLANK	EPA 8260	380793		
40224032002	MW-U3	EPA 8260	380793		
40224032003	MW-U4	EPA 8260	380793		
40224032004	MW-D2	EPA 8260	380793		
40224032005	MW-D3	EPA 8260	380793		
40224032006	MW-D4	EPA 8260	380793		
40224032007	DUP	EPA 8260	380793		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	Burns & McDonnell	
Branch/Location:	Madison, WI	
Project Contact:	Hans Hinke	
Phone:	608-512-9617	
Project Number:	129461	
Project Name:	Wood County Solar	
Project State:	WI	
Sampled By (Print):	Hans Hinke	
Sampled By (Sign):		
PO #:	Regulatory Program:	

Data Package Options

(billable)

 EPA Level III EPA Level IV**MS/MSD** On your sample

(billable)

 NOT needed on your sample**Matrix Codes**

A = Air	W = Water
B = Biota	DW = Drinking Water
C = Charcoal	GW = Ground Water
O = Oil	SW = Surface Water
S = Soil	WW = Waste Water
Sl = Sludge	WP = Wipe

FILTERED?
(YES/NO)PRESERVATION
(CODE)*

Analyses Requested

Y/N

Pick Letter

B

D

VOC by 8260

SVOC by 8270

Metals (RCRA)

Herbicides

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of



40224032

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCl C=H₂SO₄ D=HNO₃ E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Quote #:		
Mail To Contact:		
Mail To Company:		
Mail To Address:		
Invoice To Contact:	Hans Hinke	
Invoice To Company:	Burns & McDonnell	
Invoice To Address:	25 W. Main, Suite 500 Madison, WI 53703	
Invoice To Phone:		
CLIENT COMMENTS (Lab Use Only)	LAB COMMENTS (Lab Use Only)	Profile #

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	trip blank	3/24		GW
	equipment blank			
002	MW-U3		11:33	
003	MW-U4		12:30	
004	MW-02		1:21	
005	MW-D3		2:35	
006	MW-D4		3:27	
007	Dup	03/24/21	8:45AM	
			3:26/21	

Unadded to CCR -
included in shipment.
ID+ date from label.
Mar 3:26/21

PAGE Project No.

40224032

Receipt Temp = 9.0/8.0 °C

Sample Receipt pH

OK Adjusted

Cooler Custody Seal

Present / Not Present

Intact / Not Intact

of 49

Version 6.0 06/14/06

From: Brian Basten
Sent: Friday, March 26, 2021 10:44 AM
To: Angela Lane; WI_Sample_Receiving
Cc: WI Wetchem; WI_Metals
Subject: RE: 40224032 IRWO

Samples -004, -005 and -006 will need to be lab filtered for metals from the extra 1 liter amber received.
Login has been updated and extra labels have been generated.

Thanks!

Brian Basten
Client Services Manager | Pace Environmental Sciences
1241 Bellevue St. STE 9
Green Bay, WI 54302
D-920.321.9411 | W-920.469.2436 | C-920.621.7219
pacelabs.com



From: Angela Lane <Angela.Lane@pacelabs.com>
Sent: Friday, March 26, 2021 10:28 AM
To: Brian Basten <Brian.Basten@pacelabs.com>; WI_Sample_Receiving
<WI_Sample_Receiving@pacelabs.com>
Subject: 40224032 IRWO

BURNS & MC
40224032002-007
SUB-NATIONAL: HERBS

Angela Lane
Project Coordinator
Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302
Direct: 920-321-9407
Angela.Lane@pacelabs.com

Sample Preservation Receipt Form

Client Name: Burns + McDonnell

Project # 100224032

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: 1003601

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

Pace Lab #	Glass					Plastic				Vials				Jars				General			VOA Vials (>6mm)*	H2SO4 pH ≤ 2	NaOH+Zn Act pH ≥ 9	NaOH pH ≥ 12	HNO3 pH ≤ 2	pH after adjusted	Volume (mL)		
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN			
001																													2.5 / 5 / 10
002	3																												2.5 / 5 / 10
003	3																												2.5 / 5 / 10
004	3																												2.5 / 5 / 10
005	3																												2.5 / 5 / 10
006	3																												2.5 / 5 / 10
007	3																												2.5 / 5 / 10
008																													2.5 / 5 / 10
009																													2.5 / 5 / 10
010																													2.5 / 5 / 10
011																													2.5 / 5 / 10
012																													2.5 / 5 / 10
013																													2.5 / 5 / 10
014																													2.5 / 5 / 10
015																													2.5 / 5 / 10
016																													2.5 / 5 / 10
017																													2.5 / 5 / 10
018																													2.5 / 5 / 10
019																													2.5 / 5 / 10
020																													2.5 / 5 / 10

Exceptions to preservation check: 0 Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm) Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						



Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Burns+McDonnell Project # 40224082

Additional Comments/Resolution:

Cooler 8.0°C: all vials + BP3Ns; A61Us-004(1), 005(1), 006(3), 007 (1)

Cooler 9.0°C: A61Us-002, 003, 004(2) (1)

No times all sample bottles

vials placed by packaging. (1) client label on (1) vial per 3
vials packaged together.

No date: 001

(1) PM informed.

MUL 3-26-21

Project Manager Review: _____ Date: _____



Document Name:
Sample Condition Upon Receipt (SCUR)

Document Revised: 26Mar2020

Document No.:
ENV-FRM-GBAY-0014-Rev.00

Author:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Burns + McDonnell

Courier: CS Logistics FedEx Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: _____

WO# : 40224032



40224032

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other: _____

Thermometer Used: SR-99 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature: Uncorr: 9.018.0 Corr: 9.018.0

Person examining contents:

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Date: 3-26-21 Initials: MJL

Labeled By Initials: DLB

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>+Copy</u> MJL 3-26-21
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Incomplete. Inc. info Po, pgm, Mail, invoice</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>Phone. Client used gen. Non CCC. Lab added</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4. <u>007 to COC - included in shipment. MJL</u>
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. 3-26-21
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. _____
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7. _____
Sufficient Volume:	8. _____	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. _____
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. _____
Filtered volume received for Dissolved tests <u>MIL</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11. <u>Lab provided extra BP3N for acq-ndt after lab-filtered</u>
Sample Labels match COC: <u>3-26-21</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>see attached sheet</u> MJL METAS. 3-26-21 3-26-21
-Includes date/time/ID/Analysis	Matrix: <u>W</u>	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. _____
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>459</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted:

Date/Time:

Comments/ Resolution: To Mefwater only. PM notified MIL 3-26-21

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir